Author Index to Volume 19

References with (L) are to Letters to the Editor

Abe, Koo (see Mizushima, San-ichiro)—1477
Aberth, Etienne (see Maslan, Frank)—658(L)
Abrahamson, E. W. (see Brown, A. S.)—1226
Agashe, V. V. Role of a positive column in the reduction of current due to external light in an electrodeless discharge—1002
Aggarwal, Ram Ratan and B. D. Saksena. Variation of lattice frequencies with concentration in molecular mix-crystals—1480
Allen, Harry C., Jr., and Paul C. Cross. Hydrogen sulfide band at 1180 cm^{-1}—140(L)
Allen, Thomas L. (see Bigeleisen, Jacob)—760
Alter, H. Ward (see Calvin, Melvin)—765, 768
Altman, David (see Wise, Henry)—515(L)
Anderegg, J. W. (see Leonard, B. R., Jr.)—793(L)
Anderson, R. B., R. A. Friedel, and H. H. Storch. Fischer-Tropsch reaction mechanism involving stepwise growth of carbon chain—313
Arendale, William F. (see Fletcher, William H.)—1431(L)
Argyle, Ann A. (see Judson, Charles M.)—378(L), 661(L)
Arner, W. J. (see Sheline, R. K.)—1422(L)
Arnold, J. T., S. S. Dharmatti, and M. E. Packard. Chemical effects on nuclear induction signals from organic compounds—507(L)
—— **and M. E. Packard.** Variations in absolute chemical shift of nuclear induction signals of hydroxyl groups of methyl and ethyl alcohol—1608(L)
Aston, J. G. and S. V. R. Mastrangelo. Anomalous first layer of absorbed helium and a modified B.E.T. theory—1067(L)
—— (see Mastrangelo, S. V. R.)—1370
Auer, Peter L. (see Kirkwood, John G.)—281
Axford, D. W. E., G. J. Janz, and K. E. Russell. Infrared and Raman spectra of methylhydrazine and symmetrical dimethylhydrazine—704
Axilrod, B. M. Triple-dipole interaction. I. Theory—719
—— Triple-dipole interaction. II. Cohension in crystals of the rare gases—724

Backofen, E. W. (see Maletskos, C. J.)—796(L)
Badger, Richard M. (see Hedberg, Kenneth)—508(L)
—— (see Jones, Llewellyn H.)—1599
—— (see Newman, Roger)—1147, 1207(L)
Baldwin, William M. (see Rank, D. H.)—1210(L)
Band, William. Mobile multilayer adsorption of a Bose-Einstein gas: helium—435
Banks, Charles V. (see Godycki, L. Edward)—1205(L)
Barker, J. A. Conformal solution theory and dipole interaction—1430(L)
Barr, W. J. and E. Justin Wilson, Jr. Calculated thermochemical properties for hydrazine-hydrogen peroxide reaction at high pressures—470
Barredo, J. G. Fast electrode reactions—1065(L); Erratum—1429(L)
Barriault, Roland J. (see Beattie, James A.)—1219, 1222
Barrow, Gordon M. Remarks on the interpretation of the CH_2 vibrational frequencies of *n*-paraffins—345
Bates, David R. Oscillator strength of H_2^+, $1s\sigma-2p\sigma$—1122
Beard, C. I. and B. P. Dailey. Erratum: Structure and dipole moment of isothiocyanic acid—975(L)
Beattie, James A., Roland J. Barriault, and James S. Brierley. Compressibility of gaseous xenon. I. An equation of state for xenon and the weight of a liter of xenon—1219
——, **Roland J. Barriault, and James S. Brierley.** Compressibility of gaseous venon. II. The virial coefficients and potential parameters of xenon—1222
——, **Donald R. Douslin, and Samuel W. Levine.** Vapor pressure and critical constants of neopentane—948
Becker, E. W. Effect of pressure on thermal diffusion in gases—131(L)
Beeman, W. W. (see Leonard, B. R., Jr.)—793(L)
Bell, E. E. and H. H. Nielsen. Erratum: The infrared spectrum of acetylene—136(L)
Benedict, W. S., Robert C. Herman, and Shirleigh Silverman. *R*-Branch heads of some CO_2 infrared bands in the $CO+O_2$ flame spectrum—1325(L)
Benson, G. C. and R. Shuttleworth. Surface energy of small nuclei—130(L)
Benson, Sidney W. Significance of the frequency factor in unimolecular reactions—802(L)
—— **and Robert A. Golding.** Reduced equation of state for gases and liquids—1413
Bergman, B. Gunnar and David P. Shoemaker. Space group of the σ-FeCr crystal structure—515(L)
Berlin, Theodore. Binding regions in diatomic molecules—208
Bernstein, H. J. Central force model for additive molecular properties—140(L)
—— **and J. Powling.** Erratum: Vibrational spectra and structure of inorganic molecules. II. Sulfur S_8, sulfur chloride S_2Cl_2, phosphorous P_4—139(L)
—— (see Malherbe, F. E.)—1607(L)
Bernstein, Richard B. and Max Metlay. Note on the electron affinity of fluorine—1612(L)
—— (see Dibeler, Vernon H.)—404
—— (see Kniebes, Duane V.)—654(L)
Berry, Clifford E. and S. M. Rock. High resolution mass spectrometry—1208(L)
Beyer, Robert T. Contribution of thermal conductivity to the ultrasonic absorption coefficient in liquefied gases—788
Biddick, Royce E. (see Mason, Donald F.—1551
Bigeleisen, Jacob and Thomas L. Allen. Fractionation of the carbon isotopes in decarboxylation reactions. IV. The relative rates of decomposition of $1-C^{12}$ and $1-C^{13}$ trichloracetate ions—760
—— (see Bothner-By, Aksel A.)—755
Birchard, J. R. (see Trotman-Dickenson, A. F.)—163
Blosser, L. G. and H. G. Drickamer. Prediction of isothermal compressibilities by light scattering—1244
Bockris, J. O'M., J. A. Kitchener, and A. E. Davies. Ionic transport in liquid silicates—255(L)
Bondi, A. On the thermal conductivity of liquids and polymers and its relation to the pressure coefficient of viscosity—128(L)
Booth, F. Cataphoresis of spherical fluid droplets in electrolytes—1331
—— Dielectric constant of water and the saturation effect—391
—— Errata: The dielectric constant of water and the saturation effect—1327(L); Erratum—1615
—— Solution of some potential problems in the theory of electrolytes—821
Bothner-By, Aksel A. and Jacob Bigeleisen. Fractionation of the carbon isotopes in decarboxylation reactions. III. The relative rates of decomposition of carboxyl-C^{12} and -C^{13} mesitoic acids—755
Boyd, A. W. (see Cunningham, George L.)—676
Boyd, Charles A., Norman Stein, Virginia Steingrimsson, and William F. Rumpel. Interferometric method of determining diffusion coefficients in gaseous systems—548
—— (see Curtiss, C. F.)—801(L)
—— (see Mason, Donald F.—1551)

Author Index to Volume 19

References with (L) are to Letters to the Editor

Abe, Koo (see Mizushima, San-ichiro)—1477
Aberth, Etienne (see Maslan, Frank)—658(L)
Abrahamson, E. W. (see Brown, A. S.)—1226
Agashe, V. V. Role of a positive column in the reduction of current due to external light in an electrodeless discharge—1002
Aggarwal, Ram Ratan and B. D. Saksena. Variation of lattice frequencies with concentration in molecular mix-crystals—1480
Allen, Harry C., Jr., and Paul C. Cross. Hydrogen sulfide band at 1180 cm^{-1}—140(L)
Allen, Thomas L. (see Bigeleisen, Jacob)—760
Alter, H. Ward (see Calvin, Melvin)—765, 768
Altman, David (see Wise, Henry)—515(L)
Anderegg, J. W. (see Leonard, B. R., Jr.)—793(L)
Anderson, R. B., R. A. Friedel, and H. H. Storch. Fischer-Tropsch reaction mechanism involving stepwise growth of carbon chain—313
Arendale, William F. (see Fletcher, William H.)—1431(L)
Argyle, Ann A. (see Judson, Charles M.)—378(L), 661(L)
Arner, W. J. (see Sheline, R. K.)—1422(L)
Arnold, J. T., S. S. Dharmatti, and M. E. Packard. Chemical effects on nuclear induction signals from organic compounds—507(L)
—— **and M. E. Packard.** Variations in absolute chemical shift of nuclear induction signals of hydroxyl groups of methyl and ethyl alcohol—1608(L)
Aston, J. G. and S. V. R. Mastrangelo. Anomalous first layer of absorbed helium and a modified B.E.T. theory—1067(L)
—— (see Mastrangelo, S. V. R.)—1370
Auer, Peter L. (see Kirkwood, John G.)—281
Axford, D. W. E., G. J. Janz, and K. E. Russell. Infrared and Raman spectra of methylhydrazine and symmetrical dimethylhydrazine—704
Axilrod, B. M. Triple-dipole interaction. I. Theory—719
—— Triple-dipole interaction. II. Cohension in crystals of the rare gases—724

Backofen, E. W. (see Maletskos, C. J.)—796(L)
Badger, Richard M. (see Hedberg, Kenneth)—508(L)
—— (see Jones, Llewellyn H.)—1599
—— (see Newman, Roger)—1147, 1207(L)
Baldwin, William M. (see Rank, D. H.)—1210(L)
Band, William. Mobile multilayer adsorption of a Bose-Einstein gas: helium—435
Banks, Charles V. (see Godycki, L. Edward)—1205(L)
Barker, J. A. Conformal solution theory and dipole interaction—1430(L)
Barr, W. J. and E. Justin Wilson, Jr. Calculated thermochemical properties for hydrazine-hydrogen peroxide reaction at high pressures—470
Barredo, J. G. Fast electrode reactions—1065(L); Erratum—1429(L)
Barriault, Roland J. (see Beattie, James A.)—1219, 1222
Barrow, Gordon M. Remarks on the interpretation of the CH_2 vibrational frequencies of *n*-paraffins—345
Bates, David R. Oscillator strength of H_2^+, $1s\sigma-2p\sigma$—1122
Beard, C. I. and B. P. Dailey. Erratum: Structure and dipole moment of isothiocyanic acid—975(L)
Beattie, James A., Roland J. Barriault, and James S. Brierley. Compressibility of gaseous xenon. I. An equation of state for xenon and the weight of a liter of xenon—1219
——, **Roland J. Barriault, and James S. Brierley.** Compressibility of gaseous venon. II. The virial coefficients and potential parameters of xenon—1222
——, **Donald R. Douslin, and Samuel W. Levine.** Vapor pressure and critical constants of neopentane—948
Becker, E. W. Effect of pressure on thermal diffusion in gases—131(L)
Beeman, W. W. (see Leonard, B. R., Jr.)—793(L)
Bell, E. E. and H. H. Nielsen. Erratum: The infrared spectrum of acetylene—136(L)
Benedict, W. S., Robert C. Herman, and Shirleigh Silverman. *R*-Branch heads of some CO_2 infrared bands in the $CO+O_2$ flame spectrum—1325(L)
Benson, G. C. and R. Shuttleworth. Surface energy of small nuclei—130(L)
Benson, Sidney W. Significance of the frequency factor in unimolecular reactions—802(L)
—— **and Robert A. Golding.** Reduced equation of state for gases and liquids—1413
Bergman, B. Gunnar and David P. Shoemaker. Space group of the σ-FeCr crystal structure—515(L)
Berlin, Theodore. Binding regions in diatomic molecules—208
Bernstein, H. J. Central force model for additive molecular properties—140(L)
—— **and J. Powling.** Erratum: Vibrational spectra and structure of inorganic molecules. II. Sulfur S_8, sulfur chloride S_2Cl_2, phosphorous P_4—139(L)
—— (see Malherbe, F. E.)—1607(L)
Bernstein, Richard B. and Max Metlay. Note on the electron affinity of fluorine—1612(L)
—— (see Dibeler, Vernon H.)—404
—— (see Kniebes, Duane V.)—654(L)
Berry, Clifford E. and S. M. Rock. High resolution mass spectrometry—1208(L)
Beyer, Robert T. Contribution of thermal conductivity to the ultrasonic absorption coefficient in liquefied gases—788
Biddick, Royce E. (see Mason, Donald F.—1551
Bigeleisen, Jacob and Thomas L. Allen. Fractionation of the carbon isotopes in decarboxylation reactions. IV. The relative rates of decomposition of $1-C^{12}$ and $1-C^{13}$ trichloracetate ions—760
—— (see Bothner-By, Aksel A.)—755
Birchard, J. R. (see Trotman-Dickenson, A. F.)—163
Blosser, L. G. and H. G. Drickamer. Prediction of isothermal compressibilities by light scattering—1244
Bockris, J. O'M., J. A. Kitchener, and A. E. Davies. Ionic transport in liquid silicates—255(L)
Bondi, A. On the thermal conductivity of liquids and polymers and its relation to the pressure coefficient of viscosity—128(L)
Booth, F. Cataphoresis of spherical fluid droplets in electrolytes—1331
—— Dielectric constant of water and the saturation effect—391
—— Errata: The dielectric constant of water and the saturation effect—1327(L); Erratum—1615
—— Solution of some potential problems in the theory of electrolytes—821
Bothner-By, Aksel A. and Jacob Bigeleisen. Fractionation of the carbon isotopes in decarboxylation reactions. III. The relative rates of decomposition of carboxyl-C^{12} and -C^{13} mesitoic acids—755
Boyd, A. W. (see Cunningham, George L.)—676
Boyd, Charles A., Norman Stein, Virginia Steingrimsson, and William F. Rumpel. Interferometric method of determining diffusion coefficients in gaseous systems—548
—— (see Curtiss, C. F.)—801(L)
—— (see Mason, Donald F.—1551)

Bradford, R. S. (see Clay, C. S.)—1429(L)
Bradshaw, Benjamin C. Effect of grinding on particles—1057
—— Study of metallic electrodes prepared by sublimation—1026
Brady, G. W. Fourier analysis of the x-ray scattering from soap solutions—1547
Brand, J. C. D. Vibrational analysis of the fluorescence spectrum of formaldehyde—377(L)
Braunstein, Jerry (see Frost, Arthur A.)—1133
Brewer, Leo and Donald F. Mastick. Stability of gaseous diatomic oxides—834
Bridgman, P. W. Effect of pressure on the melting of several methyl siloxanes—203
Brierley, James S. (see Beattie, James A.)—1219, 1222
Briggs, Lyman J. Limiting negative pressure of acetic acid, benzene, aniline, carbon tetrachloride, and chloroform—970
Brill, R. Rate equation of ammonia-synthesis on iron-type catalysts of different composition—1047
—— **and D. H. Volman.** Ultraviolet absorption spectra of gaseous diazomethane and diazoethane. Evidence for the existence of ethylidine radicals in diazoethane photolysis—1394
Broida, Herbert P. Hydrogen-oxygen reaction at the second explosion limit—790(L)
—— Rotational temperatures of OH in methane-air flames—1383
——, **W. J. Levedahl, and F. L. Howard.** Emission spectra of first-stage combustion in an engine—797(L)
—— **and O. Oldenberg.** Thermal hydrogen-oxygen reaction at relatively low temperatures—196
Brow, Jeanne E. (see Schwertz, F. A.)—640
Brown, A. S., P. M. Levin, and E. W. Abrahamson. Dielectric constant of benzene at 25°C by the Wyman method—1226
Brown, J. K. and N. Sheppard. Rotational isomerism in 2-methyl butane and 2:3-dimethyl butane—976(L)
Brunauer, Stephen (see Maxwell, Louis R.)—303
Bryce, W. A. (see Lossing, F. P.)—1254
Bube, Richard H. Role of chlorine in the luminescence of ZnS:Cu phosphors—985(L)
Bueche, F., P. Debye, and W. M. Cashin. Expressions for turbidities—803(L)
—— (see Debye, P.)—589
Buehler, R. J., R. H. Wentorf, Jr., J. O. Hirschfelder, and C. F. Curtiss. Free volume for rigid sphere molecules—61
Buff, Frank P. Spherical interface. I. Thermodynamics—1591
—— (see Kirkwood, John G.)—774
Bulgozdy, E. L. (see Wagner, E. L.)—1210(L)
Burke, T. G. and E. A. Jones. Spectra of bromine pentafluoride—1611(L)
Burnelle, Louis (see Duchesne, Jules)—1191
Butler, J. P., H. I. Schiff, and A. R. Gordon. Equivalent and ionic conductances for sodium and potassium chlorides in anhydrous methanol at 25°C—752
Byrne, John T. Preparation of carrier-free manganese 52—504(L)
Bywater, S. and E. W. R. Steacie. Mercury ($^3P_1$) photosensitized decomposition of propane at high temperatures—319
—— **and E. W. R. Steacie.** Mercury ($^3P_1$) photosensitized reaction of ethane at high temperatures—326
—— **and E. W. R. Steacie.** Mercury ($^3P_1$) sensitized decomposition of normal and iso-butane at high temperatures—172

Calvert, J. G. and E. W. R. Steacie. Vapor phase photolysis of formaldehyde at wavelength 3130A—176
Calvin, Melvin and H. Ward Alter. Substituted stilbenes. I. Absorption spectra—765
—— **and H. Ward Alter.** Substituted stilbenes. II. Thermal isomerization—768
Carmack, Marvin (see Woodrow, Carroll C.)—951
Carrington, Tucker and Norman Davidson. Photoelectric observation of the rate of dissociation of N_2O_4 by a shock wave—1313(L)
—— (see Davidson, Norman)—1311(L)
Carroll, B. H. (see West, W.)—417
Cashin, W. M. (see Bueche, F.)—803(L)
—— (see Debye, P.)—510(L)
Chang, Shih-Chuan (see Spurr, Robert A.)—518(L)
Chaudet, Julian H. (see Dawson, Lyle R.)—771
Chaudhuri, N. K. (see Ganguly, S. C.)—617
Cheng, Laura M. Energy transfer by collision in benzene vapor—693
Choate, Robert L. and Louis H. Lund. Note on surface tension and the theory of holes—1062(L)
Christy, R. W. and A. W. Lawson. High temperature specific heat of AgBr—517(L)
Chynoweth, A. G. (see Schneider, W. G.)—1607(L)
—— **and W. Schneider.** Ultrasonic propagation in binary liquid systems near their critical solution temperature—1566
Claussen, W. F. Second water structure for inert gas hydrates—1425(L)
—— Suggested structures of water in inert gas hydrates—259(L); Erratum—662(L)
Clay, C. S., R. S. Bradford, and Ellis Strick. Possible relation between the nuclear relaxation time, T_2, and molecular structure—1429(L)
Cleveland, Forrest F. (see Decker, Charlotte E.)—784
—— (see El-Sabban, M. Zaki)—855
—— (see Fenlon, Paul F.)—1561
—— (see Klein, Morton J.)—1068(L)
—— (see Madigan, John R.)—119
—— (see Voelz, Fred L.)—1084
Coggeshall, Norman D. and Abbott Pozefsky. Solvent induced frequency shifts for cata-condensed aromatics—980(L)
Cole, R. H. (see Davidson, D. W.)—1484
Collins, F. C. (see Frisch, H. L.)—1402
Comstock, A. A. and G. K. Rollefson. Reactions of radicals produced by the action of sodium on alkyl iodides—441
Condon, Francis E., H. L. McMurry, and V. Thornton. Infrared and mass spectra of some deuterium-containing derivatives of propane—1010
Cook, Melvin A., Douglas H. Pack, and Alex G. Oblad. Structural model of low pressure "physical" adsorption—367
Coulter, Lowell V. (see Maybury, Robert H.)—1326(L)
Courtoy, C., M. de Hemptinne, and M. V. Migeotte. Infrared absorption spectrum of $H_2O=CHD$—137(L)
Cowan, G. R. (see Greene, E. F.)—427
——, **G. Herzberg, and S. P. Sinha.** Erratum: Rotation-vibration spectra of diatomic and simple polyatomic molecules with long absorbing paths. IV. The spectrum of methyl fluoroform (CH_3CF_3) from 19μ to 0.7μ—794(L)
Cox, E. G. Polarization of Rayleigh scattering as an aid to the determination of molecular orientation in solids—1325(L)
Crable, George F. and William V. Smith. Structure and dipole moment of SO_2 from microwave spectra—502(L)
Crawford, Bryce L., Jr., and William H. Fletcher. Determination of normal coordinates—141(L)
——, **William H. Fletcher, and D. A. Ramsay.** Infrared spectra of CH_2N_2 and CD_2N_2—406
—— (see Eggers, David F., Jr.)—1554
—— (see Lancaster, John E.)—661(L)
Crosby, Harvey J. (see Johnston, Harold S.)—799(L)
Cross, Paul C. (see Allen, Harry C., Jr.)—140(L)
—— (see Innes, K. Keith)—1086
—— (see Nixon, Eugene R.)—1067(L)
Crowell, A. D. and H. E. Farnsworth. Adsorption of carbon dioxide on a nickel single crystal using a radioactive tracer—1206(L)
Cuddeback, R. B. and H. G. Drickamer. Diffusion in solid sulfur—790(L)

Cunningham, George L., Jr., A. W. Boyd, Rollie J. Myers, William D. Gwinn, and W. I. Le Van. Microwave spectra, structure, and dipole moments of ethylene oxide and ethylene sulfide—676
Curtiss, C. F., C. A. Boyd, and H. B. Palmer. Thermodynamics of the critical point—801(L)
—— (see Buehler, R. J.)—61
—— (see Rowlinson, J. S.)—1519

Daasch, L. W. and D. C. Smith. Infrared and Raman spectra of trimethylphosphine oxide—22
Dailey, B. P. (see Beard, C. I.)—975(L)
Dannis, M. L. and J. J. Shipman. Infrared and Raman spectra of vinylidene cyanide—382(L)
Darwent, B. deB. Decomposition of excited ethylene—258(L)
Dauphinee, T. M. Vapor pressure of mercury from 40°C to 240°C: (5 microns to 6 cm) measured by the streaming method—389(L)
David, H. G., S. D. Hamann, and J. F. Pearse. Dielectric constant of ethylene at high pressures—1491
Davidson, D. W. and R. H. Cole. Dielectric relaxation in glycerol, propylene glycol, and *n*-propanol—1484
Davidson, Norman, Royal Marshall, A. E. Larsh, Jr., and Tucker Carrington. Direct observation of the rate of recombination of iodine atoms—1311(L)
—— (see Carrington, Tucker)—1313(L)
—— (see Sullivan, John H.)—143
Davies, A. E. (see Bockris, J. O'M.)—255(L)
Davies, J. A., R. L. Kay, and A. R. Gordon. Transference numbers for sodium and potassium chlorides in anhydrous methanol at 25°C—749
Dawson, Lyle R. and Julian H. Chaudet. Effects of added chlorides on the absorption spectra of cobaltous chloride in water and in formamide—771
Debye, P. and F. Bueche. Electric moments of polar polymers in relation to their structure—589
—— **and W. M. Cashin.** Effect of small refractive index differences between solution and solvent on light scattering —510(L)
—— (see Bueche, F.)—803(L)
Decius, J. C., W. C. Steele, and R. G. Snyder. Carbon-hydrogen stretching modes of trioxane—806(L)
—— **and E. Bright Wilson, Jr.** Sum rules for the vibration frequencies of isotopic molecules—1409
Decker, Charlotte E., Arnold G. Meister, and Forrest F. Cleveland. Substituted methanes. VI. Force constants and calculated thermodynamic properties for some trifluoromethanes—784
de Hemptinne, M. (see Courtoy, C.)—137(L)
de Lattre, A. Infra-red spectrum of some complex hexafluorides—1610(L)
—— (see D'Or, L.)—1064(L)
Delbecq, Charles J., Peter Pringsheim, and Philip Yuster. New type of short wavelength absorption band in alkali halides containing color centers—574
Denniston, D. W., Jr. (see Karlovitz, Béla)—541
Dewhurst, H. A. Effect of organic substances on the γ-ray oxidation of ferrous sulfate—1329(L)
Dharmatti, S. S. (see Arnold, J. T.)—507(L)
Dibeler, Vernon H. and Richard B. Bernstein. Isotope effect on dissociation probabilities in the mass spectra of chloroform and chloroform-*d*—404
Dixon, J. K. (see Judson, Charles M.)—378(L)
—— (see Judson, Charles M.)—661(L)
Doescher, Russell N. Heat of dissociation of fluorine—1070(L)
Donoghue, J. J., R. E. Vollrath, and E. Gerjuoy. Tensile strength of benzene—55
D'Or, L. and P. Tarte. Rotational isomerism in nitrous acid and alkyl nitrites—1064(L)
——, **A. de Lattre, and P. Tarte.** Spectroscopic evidence of the dimerization of NO in the gaseous state—1064(L)
Dorfman, Leon M. (see Gomer, Robert)—136(L)
Doscher, Todd M. and Karol J. Mysels. Effect of gegen ions on the light scattering by solutions of colloidal electrolytes—254(L)
Douslin, Donald R. (see Beattie, James A.)—948
Drain, L. E. (see Morrison, J. A.)—1063(L)
Drenan, J. W. (see Wall, F. T.)—585
Drickamer, H. G. (see Blosser, L. G.)—1244
—— (see Cuddeback, R. B.)—790(L)
—— (see Robb, W. L.)—818, 1504
—— (see Scott, E. J.)—1075
—— (see Timmerhaus, K. D.)—1242
Dubois, Jean T. and W. Albert Noyes, Jr. Photochemical studies. XLVI. Photosensitization by benzene and pyridine vapors—1512
Duchesne, Jules. Role of hybridization and resonance in molecular structure—246
—— **and Louis Burnelle.** Bond-bond interactions in linear and angular molecules—1191
Duffey, George H. Hexacovalent bond orbitals. IV—92
—— Seemingly forbidden octacovalent structure—963
—— Tripyramidal bond orbitals—553
Dulmage, William J., Edward A. Meyers, and William N. Lipscomb. Molecular and crystal structure of nitric oxide dimer—1432(L)
Duncan, A. B. F. (see Liu, Ta-kong)—71
Dunn, A. F. (see Welsh, H. L.)—340
Durham, George S. and Janet A. Hawkins. Solid solutions of the alkali halides. II. The theoretical calculation of lattice constants, heats of mixing, and distributions between solid and aqueous phases—149

Edelson, D. and K. B. McAfee. Note on the infrared spectrum of sulfur hexafluoride—1311(L)
Edsall, John T. (see Scheraga, Harold A.)—1101
Edwards, R. R. (see Schwartz, H. M.)—385(L)
Eggers, David F., Jr., and Bryce L. Crawford, Jr. Vibrational intensities. III. Carbon dioxide and nitrous oxide—1554
Eichholz, G. G. and F. C. Flack. Diffusion of thoron atoms through photographic gelatin—363
Eischens, R. P. Isotopic exchange rates as criteria of surface heterogeneity—377(L)
Elliott, N. (see Stoenner, R.)—950
Ellis, J. W. (see Glatt, L.)—449
Ellison, Frank O. (see Shull, Harrison)—1215(L), 1610(L)
el Nadi, M. Calculation of the molecular diameters from Sutherland's constant—503(L)
El-Sabban, M. Zaki, Arnold G. Meister, and Forrest F. Cleveland. Substituted ethanes. III. Raman and infrared spectra, assignments, force constants, and calculated thermodynamic properties for 1,1,1-trichloroethane—855
Elton, G. A. H. Contact angles and surface tensions in liquid/solid systems—1066(L)
—— Electrokinetic potentials of small particles by the sedimentation method—1317(L)
Emmett, P. H. (see Kummer, J. T.)—289
Epstein, Leo F. and Glenn M. Roe. Low temperature second virial coefficients for a 6-12 potential—1320(L)
Epstein, P. S. and M. S. Plesset. Erratum: On the stability of gas bubbles in liquid-gas solutions—256(L)
Evans, E. A. and John L. Houston. Isotope effect in the oxidation of carboxyl-C^{14} acetic acid—1214(L)
Evans, M. G. and M. Szwarc. Ionization potential of allyl radical—1322(L)
Evans, Robert L. Conductivities of strong electrolytes in aqueous solution—310
Eyring, Henry (see Mueller, Charles R.)—193, 934, 1495

Farnsworth, H. E. (see Crowell, A. D.)—1206(L)
—— (see Sherburne, R. K.)—387(L)
Fenlon, Paul F., Forrest F. Cleveland, and Arnold G. Meister. Substituted methanes. VII. Vibrational spectra, force constants, and calculated thermodynamic properties for CH_3I and CD_3I—1561
Ferguson, Eldon E. (see Schriever, William)—609
Ferigle, Salvador M. and Arnold G. Meister. Kinetic energy matrix elements for linear molecules—982(L)
Ferreira, Ricardo de Carvalho. Acidity and the systems of acids and bases—794(L)
Field, F. H. New calculation of the latent heat of sublimation of carbon and the first C−H dissociation energy in methylene from electron impact data—793(L)
Fischer, Ernst. Stereochemistry of the imidazolidine ring—395
Fisher, Edward. Coulomb energy of complex crystals—1284
—— Partition functions of cubic lattices—632
Flack, F. C. (see Eichholz, G. G.)—363
Fletcher, William H. and William F. Arendale. Infrared spectra of CD_2CO and CHDCO—1431(L)
—— (see Crawford, Bryce L., Jr.)—141(L), 406
Flory, P. J. Configuration of real polymer chains—1315(L)
—— (see Mandelkern, Leo)—984(L)
—— (see Wall, Frederick T.)—1435
Fonberg, Zygmunt. Evidence of nuclear transmutation in the course of explosion of shaped charges with lined cavity—383(L)
Francis, S. A. Intensities of bands due to free and bonded hydroxyl groups in the 3 micron region—505(L)
—— Intensities of some characteristic infrared bands on ketones and esters—942
Franklin, J. L. and H. E. Lumpkin. Lack of resonance energy in gaseous carbonium ions—1073(L)
Freedman, E. On the propagation of ultrasonic waves in acetic acid—1318(L)
Friedel, R. A. (see Anderson, R. B.)—313
Friedman, Abraham Solomon, David White, and Herrick L. Johnston. Critical constants, boiling points, triple point constants, and vapor pressures of the six isotopic hydrogen molecules, based on a simple mass relationship—126
Friedman, B. (see Frisch, H. L.)—1402
Friedman, Lawrence (see Reiss, Howard)—253(L)
Frisch, H. L., F. C. Collins, and B. Friedman. Excluded volume effect in polymer chains. I—1402
Frost, Arthur A. and Jerry Braunstein. Hydrogen molecule energy calculation by correlated molecular orbitals—1133
Fujita, Hisaki (see Katsura, Shigetoshi)—795(L)
Furry, W. H. and P. H. Pitkanen. Gaseous diffusion as a random process—729

Gadd, J. Orten, Jr. (see Scheraga, Harold A.)—1101
Gammel, J. L. (see Reitz, John R.)—894
Ganguly, S. C. and N. K. Chaudhuri. Directional properties of single crystal of anthracene regarding fluorescence phenomena—617
Garrett, C. G. B. Critical field curve in an antiferromagnetic crystal—1154
Garrison, Warren M. (see Gile, Jeanne D.)—256(L), 660(L), 1217(L), 1426(L), 1427(L), 1428(L)
—— (see Haymond, Herman R.)—382(L), 1427(L)
Gerjuoy, E. (see Donoghue, J. J.)—55
Giguère, Paul A. (see Innes, K. Keith)—1086
Gile, Jeanne D., Warren M. Garrison, and Joseph G. Hamilton. Carrier-free radioisotopes from cyclotron targets. XIV. Preparation and isolation of $Bi^{204, 206}$ from lead—256(L)
——, **Warren M. Garrison, and Joseph G. Hamilton.** Carrier-free radioisotopes from cyclotron targets. XVII. Preparation and isolation of Fe^{59} from cobalt—1217(L)
——, **Warren M. Garrison, and Joseph G. Hamilton.** Carrier-free radioisotopes from cyclotron targets. XVIII. Preparation and isolation of Cr^{51} from vanadium—1217(L)
——, **Warren M. Garrison, and Joseph G. Hamilton.** Carrier-free radioisotopes from cyclotron targets. XIX. Preparation and isolation of $Pt^{191, 193}$ from osmium—1426(L)
——, **Warren M. Garrison, and Joseph G. Hamilton.** Carrier-free radioisotopes from cyclotron targets. XX. Preparation and isolation of $Ru^{97, 103}$ from molybdenum—1426(L)
——, **Warren M. Garrison, and Joseph G. Hamilton.** Carrier-free radioisotopes from cyclotron targets. XXI. Preparation and isolation of $Tl^{200, 201, 202}$ from mercury—1427(L)
——, **Warren M. Garrison, and Joseph G. Hamilton.** Carrier-free radioisotopes from cyclotron targets. XXIII. Preparation and isolation of $Rh^{100, 101, 102, 105}$ from ruthenium—1428(L)
——, **Herman R. Haymond, Warren M. Garrison, and Joseph G. Hamilton.** Carrier-free radioisotopes from cyclotron targets. XVI. Preparation and isolation of Pd^{103} from rhodium—660(L)
Gilleo, M. A. Optical absorption and photoconductivity of amorphous and hexagonal selenium—1291
Gilles, Paul W. and Quentin de L. Wheatley. Thermodynamic properties of gaseous titanium—129(L)
Giulotto, L. and A. Loinger. External oscillations and specific heat of calcite—1316(L)
Glatt, L. and J. W. Ellis. Near infrared pleochroism. II. The 0.8–2.5μ region of some linear polymers—449
Glockler, George. Estimated bond energies in carbon, nitrogen, oxygen, and hydrogen compounds—124
Godycki, L. Edward, R. E. Rundle, Roger C. Voter, and Charles V. Banks. Possible existence of a symmetrical O···H···O hydrogen bond in nickel dimethylglyoxime—1205(L)
Golding, Robert A. (see Benson, Sidney W.)—1413
Goldstein, J. H. and Ralph Livingston. Pure quadrupole spectrum of solid vinyl chloride—1613(L)
Gomer, Robert. Novel method for the estimation of very low pressures—1072(L)
—— Wall reactions and diffusion in static and flow systems—284
—— **and Leon M. Dorfman.** Concerning the steric factor of free radical reactions—136(L)
—— **and G. B. Kistiakowsky.** Rate constant of ethane formation from methyl radicals—85
Gordon, A. R. (see Butler, J. P.)—752
—— (see Davies, J. A.)—749
Gordon, W. E. (see Mooradian, A. J.)—1166
Gordy, Walter. Interpretation of nuclear quadrupole couplings in molecules—792(L)
—— (see Lancaster, Forrest W.)—1181
—— (see Sheridan, John)—965
Graham, Walter and Louis H. Lund. Small-angle x-ray scattering from argon—1380
Green, H. S. Quantum mechanics of assemblies of interacting particles—955
Green, Melville S. Brownian motion in a gas of noninteracting molecules—1036
Greene, E. F., G. R. Cowan, and D. F. Hornig. Thickness of shock fronts in argon and nitrogen and rotational heat capacity lags—427
Greenhow, Charles and William V. Smith. Molecular quadrupole moments of N_2 and O_2—1298
Gregory, N. W. (see Handy, L. L.)—1314(L)
Grimley, T. B. Configuration of real polymer chains—1315(L)
Grison, E. Studies on tellurium-selenium alloys—1109
Grotz, Leonard (see Pimentel, George C.)—513(L)
Guest, P. G. (see Roth, Walter)—1530
Gunning, H. E. (see Schlochauer, M.)—474
Gutowsky, H. S. Optical rotation of quartz in the infrared to 9.7μ—438
—— **and C. J. Hoffman.** Nuclear magnetic shielding in fluorine and hydrogen compounds—1259

——, **D. W. McCall, B. R. McGarvey, and L. H. Meyer.** Nuclear magnetic parameter related to electron distribution in molecules—1328(L)
Gwinn, William D. (see Cunningham, George L., Jr.)—676

Haga, Toshio (see Morino, Yonezo)—791(L)
Halford, J. O. I. Normal frequencies of a one-dimensional crystal. II. An approximation to the lattice frequency distribution in isotropic solids—1375
Halverson, Frederick and Robert C. Hirt. Near ultraviolet solution spectra of the diazines—711
Ham, J. S., J. R. Platt, and H. McConnell. Ultraviolet spectra of benzene-halogen complexes and of iodine in solution—1301
Hamann, S. D. Interpretation of intermolecular force parameters—655(L)
—— (see David, H. G.)—1491
Hamilton, Joseph G. (see Gile, Jeanne D.)—256(L), 660(L), 1217(L), 1426(L), 1427(L), 1428(L)
—— (see Haymond, Herman R)—382(L), 1427(L)
Handy, L. L. and N. W. Gregory. Crystal structure of chromium (II) chloride—1314(L)
Hanwick, T. J. and P. O. Hoffman. Raman spectra of several compounds containing phosphorus—708
Hardebol, J. (see Milatz, J. M. W.)—887
Harries, W. L. and A. von Engel. Influence of irradiation on the low frequency electrodeless discharge in chlorine—514(L)
Harris, G. M. (see Stranks, D. R.)—257(L)
Hart, R. W., R. Wallis, and L. Pode. Superposition approximation in statistical mechanics of compressed gases—139(L)
Hashitsume, Natsuki (see Isihara, Akira)—1508
Hatfield, M. R. (see Wall, F. T.)—585
Hawkins, Janet A. (see Durham, George S.)—149
Hayashi, Seichi (see Murata, Hiromu)—1217(L)
Haymond, Herman R., Warren M. Garrison, and Joseph G. Hamilton. Carrier-free radioisotopes from cyclotron targets. XXII. Preparation and isolation of Pb^{203} from thallium—1427(L)
——, **Warren M. Garrison, and Joseph G. Hamilton.** Carrier-free radioisotopes from cyclotron targets. XV. Preparation and isolation of Mn^{52} from chromium—382(L)
—— (see Gile, Jeanne D.)—660(L)
Healey, Frank, Jr. (see Stern, Kurt H.)—1114
Heath, D. F. (see Linnett, J. W.)—801(L)
Hedberg, Kenneth. Infrared spectra of Cl_2O and ClO_2—509(L)
—— **and Richard M. Badger.** Infrared spectra of HOCl and DOCl—508(L)
Hellmann, Max (see Roe, Arthur)—660(L)
Hennig, Gerhart. Properties of the interstitial compounds of graphite. I. The electronic structure of graphite bisulfate—922
Herman, Robert C. (see Benedict, W. S.)—1325(L)
—— (see Hornbeck, George A.)—512(L)
Herzberg, G., A. Vallance Jones, and L. C. Leitch. Photographic infrared spectrum of CD_3CCH and the structure of methyl acetylene—136(L)
—— (see Cowan, R. D.)—794(L)
Hill, Terrell L. Liquid-vapor transition region and physical adsorption according to van der Waals' equation—261(L)
—— On Gibbs' theory of surface tension—1203(L)
Hillenbrand, L. J., Jr., and Mary L. Kilpatrick. Thermal decomposition of nitromethane—381(L)
Hirschfelder, Joseph O. (see Buehler, R. J.)—61
—— (see Spotz, Ellen L.)—1215(L)
Hirt, Robert C. (see Halverson, Frederick)—711
Hoffman, C. J. (see Gutowsky, H. S.)—1259
Hoffmann, P. O. (see Hanwick, T. J.)—708
Holden, A. N., W. A. Yager, and F. R. Merritt. Paramagnetic resonance absorption in organic free radicals—1319(L)
Holleran, Eugene M. and Hugh M. Hulburt. Transport properties of gases with a square-well molecular interaction potential—232
Holtan, Hans, Jr. On the energetic treatment of nonisothermal processes. The principle of thermal interaction—519
Hopke, E. R. and G. W. Sears. Vapor pressure below 1 mm Hg of several aromatic compounds—1345
Hormats, Ellis I. and Ervin R. Van Artsdalen. Bromination of hydrocarbons. IV. Photochemical and thermal bromination of neopentane in the gas phase. The C—H bond strength in neopentane—778
Hornbeck, George A. and Robert C. Herman. Vibration-rotation bands of OH in the photographic infrared—512(L)
Hornig, D. F. (see Greene, E. F.)—427
—— (see Lohman, J. B.)—252(L)
—— (see Reding, F. P.)—594
Horváth, J. I. Errata: Contributions to the theoretical treatment of ammonium. II—978(L)
Howard, F. L. (see Broida, H. P.)—797(L)
Hrostowski, Henry J. and George C. Pimentel. Interpretation of the infrared and Raman spectra of mixed crystals—661(L)
Hunt, John P. and Henry Taube. Exchange of water between hydrated cations and solvent—602
Hulburt, Hugh M. (see Holleran, Eugene M.)—232
Huston, John L. (see Evans, E. A.)—1214(L)

Ichimura, Hiroshi. On the theory of the high polymer solution—516(L)
Ichishima, Isao and San-ichiro Mizushima. Entropy of crystalline benzene calculated from molecular data—388(L)
Ikenberry, Ernest. On the distribution function in phase space, with application to the statistical theory of liquids—467
Imanishi, Sunao. Near-ultraviolet absorption spectrum of benzaldehyde vapor—389(L)
Innes, K. Keith, Paul C. Cross, and Paul A. Giguère. Asymmetric rotor. IX. The heavy water bands at 2787 cm^{-1} and 5373 cm^{-1}—1086
Inskeep, Richard G. (see Lancaster, John E.)—661(L)
Irvine, John W., Jr. (see Maletskos, C. J.)—796(L)
Irving, J. H. and Robert W. Zwanzig. Statistical mechanical theory of transport processes. V. Quantum hydrodynamics —1173
Isihara, A. Theory of high polymer solutions (the dumbbell model)—397
Isihara, Akira. Theory of anisotropic colloidal solutions—1142
——, **Natsuki Hashitsume, and Masao Tatibana.** Statistical theory of rubber-like elasticity. IV. (Two-dimensional stretching)—1508
Ito, Kazuo. Gas imperfection correction for the entropy of ethyl and methyl alcohol—1313(L)
Ito, Takashi (see Mizushima, Masataka)—739
Iwaki, Ryojiro (see Yamamoto, Daijiro)—662(L)

Janz, G. J. (see Axford, D. W. E.)—704
Johnson, Clarence I. and H. Austin Taylor. Effect of temperature on the photolysis of methylamine—613
Johnson, Everett R. Decomposition of hydrogen peroxide by high energy x-rays—1204(L)
Johnston, Harold S. Interpretation of the data on the thermal decomposition of nitrous oxide—663
—— **and Harvey J. Crosby.** Rapid gas phase reaction between nitric oxide and ozone—799(L)
Johnston, Herrick L. (see Friedman, Abraham Solomon)—126
—— (see Smith, A. Lee)—189
Johnston, Reed H. On the electron affinity of fluorine—1391
Jones, A. Vallance (see Herzberg, G.)—136(L)
Jones, E. A., J. S. Kirby-Smith, P. J. H. Woltz, and A. H. Nielsen. Infrared and Raman spectra of SiF_4—242

——, **J. S. Kirby-Smith, P. J. H. Woltz, and A. H. Nielsen.** New measurements on the infrared spectrum of F_2O—337
—— (see Burke, T. G.)—1611(L)
—— (see Lagemann, R. T.)—534
—— (see Nielsen, Alvin H.)—1117
Jones, Llewellyn H., Richard M. Badger, and Gordon Moore. Infrared spectrum and the structure of gaseous nitrous acid—1599
Jones, Morton E. and Verner Schomaker. Use of punched cards in molecular structure determinations. IV. Approximations to the temperature factor—511(L)
Jones, W. M. Relative rates of reaction of hydrogen and tritium hydride with chlorine—78
Judson, Charles M., Ann A. Argyle, J. K. Dixon, and D. J. Salley. Radiotracer study of cationic surface-active agents by measurement of gegenion adsorption—378(L); Errata —661(L)
Jura, George and Richard E. Powell. Kinetics of gas adsorption as a method of area determination—251(L)
—— (see Pimentel, George C.)—513(L)

Kaesberg, Paul (see Leonard, B. R., Jr.)—793(L)
Kagarise, R. E. (see Saksena, B. D.)—987, 994, 999
Kakiuchi, Yoshinobu, Hachiro Komatsu, and Susumu Kyoya. Spectroscopic evidence for the proton conductivity through solid alcohols—132(L)
——, **Hisao Shono, Hachiro Komatsu, and Kunihiko Kigoshi.** Proton magnetic resonance absorption in hydrogen perchlorate monohydrate and the structure of oxonium ion—1069(L)
Kamat, L. S. (see Prasad, Mata)—686
Kandel, Richard J. and H. Austin Taylor. Photolysis of acetic anhydride—1250
Kanekar, C. R. (see Prasad, Mata)—686, 1440
Kantrowitz, Arthur. Nucleation in very rapid vapor expansions —1097
Karlovitz, Béla, D. W. Denniston, Jr., and F. E. Wells. Investigation of turbulent flames—541
Katsura, Shigetoshi and Hisaki Fujita. Point of condensation and the volume dependence of cluster integrals—795(L)
Katz, E. Note on frequency spectra of simple solids from specific heat data—488
Katz, Sidney (see Kniebes, Duane V.)—654(L)
Kay, R. L. (see Davies, J. A.)—749
Keller, William E. (see Smith, A. Lee)—189
Kelly, R. L., R. Rollefson, and B. S. Schurin. Infrared dispersion of acetylene and the dipole moment of the C—H bond—1595
Kerker, Milton. Acid decomposition of sodium thiosulfate—1324(L)
Kerr, Richard H. and Louis H. Lund. Atomic distribution function—50
Ketelaar, J. A. A. and W. Vedder. Infrared spectrum of KHF_2—654(L)
Kigoshi, Kunihiko (see Kakiuchi, Yoshinobu)—1069(L)
Kikuchi, Ryoichi. Theory of cooperative phenomena. II. Equation of states for classical statistics—1230
Kilpatrick, John E. and Myra F. Kilpatrick. Discrete energy levels associated with the Lennard-Jones potential—930
Kilpatrick, Mary L. (see Hillenbrand, Jr., L. J.)—381(L)
Kilpatrick, Myra F. (see Kilpatrick, John E.)—930
Kimball, George E. (see Lewinson, Victor A.)—690
Kirby-Smith, J. S. (see Jones, E. A.)—242, 337
Kirkwood, John G. and Peter L. Auer. Visco-elastic properties of solutions of rod-like macromolecules—281
—— **and Frank P. Buff.** Statistical mechanical theory of solutions. I—774
—— (see Stripp, Kenneth F.)—1131
Kistiakowsky, G. B. Density measurements in gaseous detonation waves—1611(L)
—— (see Gomer, Robert)—85
Kitchener, J. A. (see Bockris, J. O'M.)—255(L)
Klein, Morton J., Forrest F. Cleveland, and Arnold G. Meister. Force constants, frequency assignments, and thermodynamic properties of ozone—1068(L)
Kluyver, J. C. (see Milatz, J. M. W.)—887
Kniebes, Duane V., Sidney Katz, and Richard B. Bernstein. Mass spectrometer resolution of ion pairs of similar m/e—654(L)
Knowles, L. M. Thermal analysis of the system $PbBr_2-PbO$ —1128
Knox, Kerro and Henry C. Thomas. Jones reductor: a model for the kinetics of chromatography—224
Kobe, Kenneth A. (see Pennington, Robert E.)—510(L)
Komatsu, Hachiro (see Kakiuchi, Yoshinobu)—132(L), 1069(L)
Kondo, Seiichi (see Oda, Tsutomu)—1314(L)
Koski, W. S. and C. O. Thomas. Scintillations in the diphenylpolyenes and related compounds—1286
—— (see Maybury, P. Calvin)—1327(L)
Kujirai, Masaharu (see Kwan, Takao)—798(L)
Kummer, J. T. and P. H. Emmett. Exchange between N_2^{30} and N_2^{28} over iron catalysts—289
Kuratani, Kenji (see Shimanouchi, Takehiko)—1479
Kurbatov, J. D. (see Kurbatov, M. H.)—258(L)
Kurbatov, M. H., G. B. Wood, and J. D. Kurbatov. Application of the mass law to adsorption of divalent ions on hydrous ferric oxide—258(L)
Kwan, Takao and Masaharu Kujirai. Absolute rate of the chemisorption of hydrogen on reduced copper—798(L)
Kyoya, Susumu (see Kakiuchi, Yoshinobu)—132(L)

Lacher, J. R. (see Scruby, R. E.)—386(L)
Lagemann, R. T. and E. A. Jones. Infrared spectrum of sulfur hexafluoride—534
Laidler, Keith J. (see Weber, Joseph)—381(L), 1089
LaMer, V. K. (see Pound, G. M.)—506(L)
Lancaster, Forrest W. and Walter Gordy. Paramagnetic resonance absorption of microwaves—1181
Lancaster, John E., Richard G. Inskeep, and Bryce L. Crawford, Jr. Infrared spectrum of $H_2C=CD_2$—661(L)
Larach, Simon. Luminescence of zinc tantalo-niobate with manganese activator—1318(L)
Larsh, A. E., Jr. (see Davison, Norman)—1311(L)
László, Z. Osmosis in a high frequency electric field—800(L)
—— Some newer experimental results on the osmosis in alternating electric fields—133(L)
Latimer, Wendell M. (see Powell, Richard E.)—1139
Lawson, A. W. (see Christy, R. W.)—517(L)
Lee, James K. (see Moore, Walter J.)—255(L)
Leigh, C. H. (see Szwarc, M.)—657(L)
Leitch, L. C. (see Herzberg, G.)—136(L)
Leonard, B. R., Jr., J. W. Anderegg, Paul Kaesberg, S. Shulman, and W. W. Beeman. On the size, shape, and hydration of southern bean mosaic virus and tobacco necrosis virus in solution—793(L)
Le Roy, D. J. (see Tickner, A. W.)—1247
Le Van, W. I. (see Cunningham, George L., Jr.)—676
Levedahl, W. J. (see Broida, H. P.)—797(L)
Levin, Irvin and Charles E. White. Studies on the photovoltaic effect. II—1079
Levin, P. M. (see Brown, A. S.)—1226
Levine, Samuel W. (see Beattie, James A.)—948
Levy, Henri A. (see Peterson, S. W.)—1416
Lewinson, Victor A. and George E. Kimball. Application of a modified quantum-mechanical cellular method to the hydrogen molecule—690
Lewis, Bernard (see Roth, Walter)—1530
Li, James C. M. Concerning the temperature coefficient of the emf of reversible galvanic cells operated at variable concentration—1059

Liddel, Urner and Norman F. Ramsey. Temperature dependent magnetic shielding in ethyl alcohol—1608(L)
Lide, David R., Jr. Microwave spectrum of methyl stannane —1605
Lima, Fausto W. On the viscosity of liquid hydrocarbon mixtures—137(L); Erratum—662(L)
Lindström, Olle. Reaction sites in a field of stationary ultrasonic waves—1613(L)
Linnett, J. W. and D. F. Heath. Force fields of carbon and silicon tetrafluorides—801(L)
Lipscomb, William N. (see Dulmage, William J.)—1432(L)
—— (see Nordman, Christer E.)—1422(L)
Liu, Ta-kong, George Moe, and A. B. F. Duncan. Absorption spectrum of sulfur hexafluoride in the vacuum ultraviolet region—71
Livingston, Ralph. Pure quadrupole spectra: the substituted methanes—1434(L)
—— Pure quadrupole spectrum of solid chlorine—803(L)
—— (see Goldstein, J. H.)—1613(L)
Lohman, J. B., F. P. Reding, and D. F. Hornig. Fundamental vibrations and crystal structure of H_2S and D_2S—252(L)
Loinger, A. (see Giulotto, L.)—1316(L)
Lord, R. C. and J. Ocampo. Raman spectrum of allene-d_4—260(L)
—— **and E. Nielsen.** Vibrational spectra of diborane and some of its isotopic derivatives—1
Lossing, F. P., A. W. Tickner, and W. A. Bryce. Ionization potentials of the deuterated methanes—1254
Löwdin, Per-Olov. Calculation of electric dipole moments of some heterocyclics—1323(L)
—— Note on the quantum-mechanical perturbation theory—1396
—— On the quantum-mechanical calculation of the cohesive energy of molecules and crystals. Part I. A general energy formula for the ground state—1570
—— On the quantum-mechanical calculation of the cohesive energy of molecules and crystals. Part II. Treatment of the alkali metals with numerical applications to sodium—1579
Luckey, G. W. and W. Albert Noyes, Jr. Fluorescence of acetone vapor—227
Lufcy, Carroll W., Felix S. Palubinskas, and Louis R. Maxwell. Electron diffraction by transmission through thin liquid films—217
Lukesh, Joseph S. Anomalous x-ray diffraction spectra in graphite—1203(L)
—— On the possible identity of rhombohedral and orthorhombic graphite—383(L)
Lumpkin, H. E. (see Franklin, J. L.)—1073(L)
Lund, Louis H. (see Choate, Robert L.)—1062(L)
—— (see Graham, Walter)—1380
—— (see Kerr, Richard H.)—50
Lykins, J. H. (see Macklin, R. L.)—844

Maccoll, Allan and P. T. Thomas. Pyrolysis of isopropyl bromide—977(L)
MacCormack, K. E. and W. G. Schneider. Compressibility of gases at pressures up to 50 atmospheres. V. Carbon tetrafluoride in the temperature range 0°–400°C. VI. Sulfur hexafluoride in the temperature range 0°–250°C—845
—— **and W. G. Schneider.** Intermolecular potentials. I. Carbon tetrafluoride and sulfur hexafluoride. II. Carbon dioxide—849
MacGillavry, D. Comparative study of unpolarizable and polarizable metal-solution systems—1499
——, **J. J. Singer, Jr., and J. H. Rosenbaum.** Metal-solution potentials of nickel in foreign ion solutions—1195
Macklin, R. L. and J. H. Lykins. Photoneutron fission analysis for U-235 in high purity U-238—844
Maddams, William Francis and Robert Schnurmann. Ultraviolet absorption spectrum of fluoranthene—973(L)
—— (see Schnurmann, Robert)—1430(L)
Madigan, John R. and Forrest F. Cleveland. Substituted methanes: V. Infrared spectra and calculated thermodynamic properties for some trichloromethanes—119
Magnuson, Dale W. Determination of the two-dipole moment components in nitrosyl fluoride—1071(L)
—— Dielectric constant of uranium hexafluoride vapor at 9400 mc/sec—1614(L)
Maletskos, C. J., E. W. Backofen, and John W. Irvine, Jr. Preparation of Zn^{65} of high specific activity from copper bombarded with 16-Mev deuterons—796(L)
Malherbe, F. E. and H. J. Bernstein. Infrared spectra of rapidly solidified vapors—1607(L)
Mandelkern, Leo and P. J. Flory. Dependence of the diffusion coefficient on concentration in dilute polymer solutions—984(L)
Marshall, Royal (see Davidson, Norman)—1311(L)
Martell, Arthur E. (see Stern, Kurt H.)—1114
Mashima, Mitsuo. Directed valence in As_4 and P_4—1216(L)
Maslan, Frank and Etienne Aberth. Equation of state for liquids—658(L)
Mason, Donald F., Royce E. Biddick, and Charles A. Boyd. Effect of ultrasonic radiation on the electrolytic separation of deuterium—1551
Masson, C. R. and E. W. R. Steacie. Mercury photosensitized decomposition of methyl chloride—183
Mastick, Donald F. (see Brewer, Leo)—834
Mastrangelo, S. V. R. and J. G. Aston. Thermodynamic data and some notes on the nature of adsorbed helium—1370
—— (see Aston, J. G.)—1067(L)
Matossi, Frank. Interpretation of the vibration spectrum of mix-crystals—161
—— Irreducible representations of cubic groups—1612(L)
—— Variation of atomic polarizabilities in molecular vibrations—1007
—— Vibration spectrum of rutile—1543
Matsen, F. A. (see Walsh, J. M.)—526
Maxwell, Louis R., J. Samuel Smart, and Stephen Brunauer. Thermomagnetic investigations of promoted and unpromoted iron oxide and iron catalysts—303
—— (see Lufcy, Carroll W.)—217
Maybury, P. Calvin and W. S. Koski. Kinetics of the exchange reaction between diborane and deuterium—1327(L)
Maybury, Robert H. and Lowell V. Coulter. Compressibilities of concentrated metal ammonia solutions—1326(L)
Mayer, Joseph E. Note on the theory of critical phenomena—1024
Mazur, P. On the principle of thermal interaction—1431(L)
McAfee, K. B. (see Edelson, D.)—1311(L)
McCall, D. W. (see Gutowsky, H. S.)—1328(L)
McClanahan, Edwin D., Jr. (see Waser, Jürg)—413
McClure, Donald S. Excited triplet states of some polyatomic molecules. I—670
McConnell, H. (see Ham, J. S.)—1301
McCrea, J. M. Intramolecular isotopic fractionation—the example of nitrous oxide—48
McGarvey, B. R. (see Gutowsky, H. S.)—1328(L)
McMillan, W. G. and E. Teller. Role of surface tension in multilayer gas adsorption—25
McMurry, H. L. and V. Thornton. Infrared spectra of propane and its symmetrical deuterium substituted analogs—1014
—— (see Condon, Francis E.)—1010
—— (see Rollmann, H. W.)—804(L)
McWeeny, R. Charge densities in conjugated systems—1614(L)
Meister, Arnold G. (see Decker, Charlotte E.)—784
—— (see El-Sabban, M. Zaki)—855
—— (see Fenlon, Paul F.)—1561
—— (see Ferigle, Salvador M.)—982(L)
—— (see Klein, Morton J.)—1068(L)
—— (see Voelz, Fred L.)—1084

Merritt, F. R. (see Holden, A. N.)—1319(L)
Metlay, Max (see Bernstein, Richard B.)—1612(L)
Metropolis, N. and J. R. Reitz. Solutions of the Fermi-Thomas-Dirac equation—555
Meyer, L. H. (see Gutowsky, H. S.)—1328(L)
Meyers, Edward A. (see Dulmage, William J.)—1432(L)
Migeotte, M. V. (see Courtoy, C.)—137(L)
Milatz, J. M. W., J. C. Kluyver, and J. Hardebol. Determination of isotope ratios, e.g., in tracer work, by an infrared absorption method—887
Miller, D. M. and E. W. R. Steacie. Recombination of methyl radicals—73
Miller, John G. (see Woodrow, Carroll C.)—951
Miyagawa, Ichiro (see Morino, Yonezo)—791(L)
Miyazawa, Tatsuo (see Mizushima, San-ichiro)—1477
Mizushima, Masataka. Reply to Fu regarding the new method of estimating the surface area of powder—260(L)
—— **and Takashi Ito.** On the hyperfine structure of the rotational spectra of XYZ_3-type molecule, where nuclei Z have electric quadrupole moments—739
Mizushima, San-ichiro (see Ichishima, Isao)—388(L)
—— (see Shimanouchi, Takehiko)—1479
—— (see Yasumi, Masasi)—978(L)
——, **Takahiko Shimanouchi, Tatsuo Miyazawa, Koo Abe, and Masashi Yasumi.** Internal rotation in ethylene chlorhydrin—1477
Moe, George (see Liu, Ta-kong)—71
Momotani, Masanobu (see Seki, Syûzô)—1061(L)
Monfils, André. Vibration-rotation spectrum and structure of monochlorosilane—138(L)
Moodie, Margaret M. and C. Reid. Energy transfer between complex molecules—986(L)
Mooradian, A. J. and W. E. Gordon. Gaseous detonation. I. Initiation of detonation—1166
Moore, Gordon (see Jones, Llewellyn H.)—1599
Moore, Walter J. and James K. Lee. Oxidation kinetics of nickel and cobalt—255(L)
—— **and Bernard Selikson.** Diffusion of copper in cuprous oxide—1539
Mori, K. (see Tanaka, Y.)—979(L)
Morino, Yonezo, Ichiro Miyagawa, and Toshio Haga. Energy difference between the two rotational isomers of propylene dichloride—790(L)
Morrison, J. A. and L. E. Drain. Heat capacity of multimolecular layers of adsorbed argon—1063(L)
Morrison, J. D. Studies of ionization efficiency. I. The determination of molecular appearance potentials using the mass spectrometer—1305
Mueller, Charles R. Semi-localized orbitals. II. A comparison of atomic, molecular and semi-localized orbital method for diatomic hydrogen fluoride—1498
—— **and Henry Eyring.** Averaged field calculation of the polarity of the carbon-hydrogen bond—193
—— **and Henry Eyring.** Overlap average and central field approximations—934
—— **and Henry Eyring.** Semi-localized orbitals. I. The hydrogen molecule—1495
Mukherjee, A. K. Note on the paper "On the latent heat of fusion and the hole theory" by N. R. Mukherjee—1431(L)
—— On the latent heat of fusion and the hole theory—502(L); Erratum—1216(L)
Mulay, L. N. (see Prasad, Mata)—1051, 1440
Müller, H. R. (see v. Stackelberg, M.)—1319(L)
Mulligan, Joseph F. LCAO self-consistent field calculation of the ground state of carbon dioxide—347
—— Lower excited states of carbon dioxide—1428(L)
Mulliken, Robert S. Lewis acids and bases and molecular complexes—514(L)
—— Orthonormal sets of LCAO molecular orbitals for second-row homopolar diatomic molecules—912
—— Overlap and bonding power of $2s$, $2p$-hybrid orbitals—900
—— **and Robert G. Parr.** LCAO molecular orbital computation of resonance energies of benzene and butadiene, with general analysis of theoretical *versus* thermochemical resonance energies—1271
Murata, Hiromu. Raman spectra of hexamethylcyclotrisiloxane and octamethylcyclotetrasiloxane—659(L)
—— **and Seichi Hayashi.** Raman spectra of methylbromosilanes—1217(L)
Murawski, J., J. S. Roberts, and M. Szwarc. Kinetics of the thermal decomposition of di-*t*-butyl peroxide—698
Murphy, E. J. Concentration of molecules on internal surfaces in ice—1516
Murphy, George M. and L. Schoen. Isotope effect in hydrocarbon flame spectra—380(L)
—— **and L. Schoen,** Vibrational structure of the hydrocarbon flame bands—1214(L)
Myers, Rollie J. (see Cunningham, George L., Jr.)—676
Myers, Vernon. Erratum: Intermolecular forces in benzene and ammonia—505(L)
—— Note on the scattering of ions by molecules—1425(L)
—— **and Ralph Peters.** Intermolecular forces in methyl chloride—804(L)
Mysels, Karol J. (see Doscher, Todd M.)— 54(L)

Nakatsu, Kazumi (see Seki, Syûzô)—1061(L)
Nelson, R. C. Photoconductivity of some triphenylmethane dyes—798(L)
Newman, Roger and Richard M. Badger. Infrared spectra of *N*-acetylglycine and diketopiperazine in polarized radiation at 25° and at −185°C—1147
—— **and Richard M. Badger.** Polarized infrared spectrum of potassium bifluoride at −185°C—1207(L)
Newman, R. and R. A. Ogg, Jr. Nuclear spin relaxation studies in dilute sodium-liquid ammonia solutions—214
Nicholls, R. W. Mechanism of formation of nitric oxide in glow discharges—250(L)
Nielsen, Alvin H. Analysis of the 774 $cm^{-1}(\nu_6)$ absorption band of F_2CO—98
—— Note concerning the paper on F_2O—379(L)
—— **and Ernest A. Jones.** Analysis of the infrared spectrum of chlorine monofluoride—1117
—— (see Jones, E. A.)—242, 337
—— (see Shelton, Russell D.)—1312(L)
—— (see Talley, Robert M.)—805(L)
Nielsen, E. (see Lord, R. C.)—1
Nielsen, Harald H. (see Bell, E. E.)—136(L)
Nierenberg, W. A. New viewpoint in computing crystal frequencies—659(L)
Nishiyama, T. Remark on the notion of the thermodynamic pressure—1320(L)
Nixon, Eugene R. and Paul C. Cross. Erratum: The intensities of several of the infra-red absorption bands of cyanogen and cyanogen chloride—1067(L)
Noble, Robert H. Hydrogen sulfide band at 1183 cm^{-1}—799(L)
Nordman, Christer E. and William N. Lipscomb. Note on the hydrogen-deuterium isotope effect in crystals—1422(L)
Noyes, W. Albert, Jr. (see Dubois, Jean T.)—1512
—— (see Luckey, G. W.)—227

Oblad, Alex G. (see Cook, Melvin A.)—367
Ocampo, J. (see Lord, R. C.)—260(L)
Oda, Tsutomu, Kenzo Sakata, and Seiichi Kondo. Rotation of *n*-butylic radical in crystalline state—1314(L)
Ogg, R. A., Jr. (see Newman, R.)—214
Oguchi, Takehiko. Theory of the rotational phase transition in anisotropic molecular crystal—1321(L)
Okabayashi, Hideo (see Yasumi, Masasi)—978(L)
Okawara, Rokuro (see Tanaka, Toshio)—1330(L)

Oldenberg, O. (see Broida, H. P.)—196
Ono, Syû. Cluster integrals and the Thiele semi-invariants—504(L)
Oriani, R. A. Entropies of melting of metals—93

Pack, Douglas H. (see Cook, Melvin A.)—367
Packard, M. E. (see Arnold, J. T.)—507(L), 1608(L)
Painter, C. L. (see Wall, F. T.)—585
Palmer, H. B. (see Curtiss, C. F.)—801(L)
Palubinskas, Felix S. (see Lufcy, Carroll W.)—217
Pant, L. M. (see Saksena, D. D.)—134(L)
Park, J. D. (see Scruby, R. E.)—386(L)
Parr, Robert G. On LCAO molecular orbital schemes and theoretical resonance energies—799(L)
—— **and G. Russell Taylor.** LCAO self-consistent field calculation of the twisting frequency and π-electron energy levels of allene—497
—— (see Mulliken, Robert S.)—1271
—— (see Rüdenberg, Klaus)—1268
Pashler, P. E. (see Welsh, H. L.)—340
Pearse, J. F. (see David, H. G.)—1491
Penner, S. S. Thermodynamics and chemical kinetics of one-dimensional nonviscous flow through a Laval nozzle—877
—— Two-path method for measuring flame temperatures and concentrations in low pressure combustion chambers—272; Errata—1434(L)
—— **and D. Weber.** Quantitative infrared intensity measurements. I. Carbon monoxide pressurized with infrared-inactive gases—807
—— **and D. Weber.** Quantitative infrared intensity measurements. II. Studies on the first overtone of unpressurized CO—817
—— **and D. Weber.** Quantitative line-width measurements in the infrared. I. Carbon monoxide pressurized with infrared-inactive gases—1351
—— **and D. Weber.** Quantitative line-width measurements in the infrared. II. Unpressurized carbon monoxide—1361
—— (see Weber, D.)—974(L)
Pennington, Robert E. and Kenneth A. Kobe. Numerical integration as a labor-saving device in the compilation of thermodynamic properties of polyatomic molecules—510(L)
Peters, Ralph (see Myers, Vernon)—804(L)
Peterson, S. W. and Henri A. Levy. Use of single-crystal neutron diffraction data for crystal structure determination—1416
Phibbs, M. K. Viscosity of neopentane—1420
Pimentel, George C. Bonding of trihalide and bifluoride ions by the molecular orbital method—446
—— Infrared studies of mixed crystals: naphthalene in anthracene—1536
——, **George Jura, and Leonard Grotz.** Infrared spectra of mesitylene complexes—513(L)
—— (see Hrostowski, Henry J.)—661(L)
Pitkanen, P. H. (see Furry, W. H.)—729
Platt, John R. Experimental determination of even-odd character of excited electronic states of molecules with a center of symmetry—1418
—— Isoconjugate spectra and variconjugate sequences—101
—— Spectroscopic moment: a parameter of substituent groups determining aromatic ultraviolet intensities—263
—— (see Ham, J. S.)—1301
Plesset, M. S. (see Epstein, P. S.)—256(L)
Plyler, Earle K. Combination bands of ethylene—658(L)
Pode, L. (see Hart, R. W.)—139(L)
Porter, George. Isotope effect in the band spectrum of HNO_2—1278
Pound, G. M. and V. K. LaMer. Surface tension of small droplets as a function of size from critical supersaturation data—506(L)
Powell, Richard E. and Wendell M. Latimer. Entropy of aqueous solutes—1139
—— (see Jura, George)—251(L)
Powling, J. (see Bernstein, H. J.)—139(L)
Pozefsky, Abbott (see Coggeshall, Norman D.)—980(L)
Prager, Stephen. Calculation of diffusion coefficients from sorption data—537
Prasad, K. V. Krisna. On the determination of complex dielectric constant of medium loss substances in the microwave region—797(L)
Prasad, Mata, and L. N. Mulay. Magnetic study of some organometallic compounds of arsenic—1051
——**C. R. Kanekar, and L. S. Kamat.** Magnetic study of some hydrates of boron compounds—686
——, **C. R. Kanekar, and L. N. Mulay.** Magnetic study of some inorganic compounds of arsenic, antimony, and bismuth—1440
Price, Fraser P. Calculation of degree of crystallinity in polymers from density measurements—973(L)
Price, P. J. Second-order transitions and critical points—1281
Pringsheim, Peter (see Delbecq, Charles J.)—574
Probstein, Ronald F. Time lag in the self-nucleation of a supersaturated vapor—619

Rabideau, Sherman W. Magnetic susceptibilities of praseodymium oxides—874
Rabinovitch, B. S. (see Reilly, C. A.)—248
Ramsay, D. A. (see Crawford, Bryce L., Jr.)—406
Ramsey, Norman F. (see Liddel, Urner)—1608(L)
Rank, D. H. On the polarization of Rayleigh scattering as an aid to determine molecular configuration in liquids—511(L)
—— **and William M. Baldwin.** Molecular constants of the ground state of the I_2 molecule—1210(L)
Reding, F. P. and D. F. Hornig. Vibrational spectra of molecules and complex ions in crystals. V. Ammonia and deutero-ammonia—594
—— (see Lohman, J. B.)—252(L)
Reid, C. (see Moodie, Margaret M.)—986(L)
Reilly, C. A. and B. S. Rabinovitch. Use of a low temperature bolometer for detecting a beam of free radicals—248
Reiss, Howard. Growth of uniform colloidal dispersions—482
—— **and Lawrence Friedman.** Critical limits of metastability in binary systems—253(L)
Reitz, John R. and J. L. Gammel. Dissociation energies of the Cd^{++} vacancy complex and of the double vacancy in sodium chloride—894
—— (see Metropolis, N.)—555
Rice, O. K. (see Rowden, Robert W.)—1423(L)
Richardson, W. S. Infrared spectra of $DC^{12}N$ and $DC^{13}N$—1213(L)
Riseman, Jacob and Robert Ullman. Concentration dependence of the viscosity of solutions of macromolecules—578
Rittner, Edmund S. Binding energy and dipole moment of alkali halide molecules—1030
Robb, W. L. and H. G. Drickamer. Diffusion in CO_2 up to 150 atmospheres pressure—1504
—— **and H. G. Drickamer.** Transport phenomena in dense media. II. Thermal diffusion in compressed gases—818
Roberts, J. S. (see Murawski, J.)—698
Robinson, David Z. Experimental determination of the intensities of infrared absorption bands. IV. Measurements of the stretching vibrations of OCS and CS_2—881
Rock, S. M. (see Berry, Clifford E.)—1208(L)
Roe, Arthur and Max Hellmann. Determination of an isotope effect in the decarboxylation of malonic-1-C^{14} acid—660(L)
Roe, Glenn M. (see Epstein, Leo F.)—1320(L)
Roesler, Frank C. Comment of "gas bubbles in solutions"—512(L)
Rollefson, G. K. (see Comstock, A. A.)—441

Rollefson, R. (see Kelly, R. L.)—1595
Rollmann, H. W. and H. L. McMurry. Parent peak intensities as a basis for estimating purities of deuterium substituted compounds—804(L)
Romand, J. (see Safary, E.)—379(L)
Roothaan, C. C. J. Study of two-center integrals useful in calculations on molecular structure. I—1445
Rosenbaum, J. H. (see MacGillavry, D.)—1195
Rotariu, George J. Studies of Zeeman effects from solutions of europium and neodymium salts—977(L)
Roth, Walter, P. G. Guest, Guenther von Elbe, and Bernard Lewis. Heat generation by electric sparks and rate of heat loss to the spark electrodes—1530
Rowden, Robert W. and O. K. Rice. Critical phenomena in the cyclohexane-aniline system—1423(L)
Rowlinson, J. S. Critical constants of polar gases—831
—— Third virial coefficients of polar gases—827
—— **and C. F. Curtiss.** Lattice theories of the liquid state—1519
Rubin, Thor. Overvoltage at the copper electrode—803(L)
Rüdenberg, Klaus. On the three- and four-center integrals in molecular quantum mechanics—1433(L)
—— Study of two-center integrals useful in calculations on molecular structure. II. The two-center exchange integrals—1459
—— **and Robert G. Parr.** Mobile electron model for aromatic molecules—1268
Rumpel, William F. (see Boyd, Charles A.)—548
Rundle, R. E. (see Gódycki, L. Edward)—1205(L)
Russell, K. E. (see Axford, D. W. E.)—704

Safary, E. Ultraviolet absorption spectrum of gaseous hydrogen fluoride—1319(L)
——, **J. Romand, and B. Vodar.** Ultraviolet absorption spectrum of gaseous hydrogen fluoride—379(L)
Sakata, Kenzo (see Oda, Tsutomu)—1314(L)
Saksena, B. D. and R. E. Kagarise. Formation of complexes in benzeneoxalyl chloride solutions—994
—— **and R. E. Kagarise.** Rotational isomerism in oxalyl chloride (ClOC-COCl)—987
—— **and R. E. Kagarise.** Ultraviolet spectrum of oxalyl chloride—999
—— (see Aggarwal, Ram Ratan)—1480
Saksena, D. D. and L. M. Pant. Cathode luminescence of crystalline quartz—134(L)
Salley, D. J. (see Judson, Charles M.)—378(L), 661(L)
Scheraga, Harold A. Effect of a gaussian distribution on flow birefringence—983(L)
——, **John T. Edsall, and J. Orten Gadd, Jr.** Double refraction of flow: numerical evaluation of extinction angle and birefringence as a function of velocity gradient—1101
—— (see Swegler, E. W.)—135(L)
Schiff, H. I. (see Butler, J. P.)—752
Schlochauer, M. and H. E. Gunning. Reaction of methylcyclopentane with Hg $6(^3P_1)$ atoms—474
Schneider, W. G. (see Chynoweth, A. G.)—1566
—— (see MacCormack, K. E.)—845, 849
—— **and A. G. Chynoweth.** Thermodynamics of the critical point—1607(L)
Schnurmann, Robert and William Francis Maddams. Solvent effects for the ultraviolet spectra of aromatic hydrocarbons—1430(L)
—— (see Maddams, William Francis)—973(L)
Schoen, L. (see Murphy, George M.)—380(L), 1214(L)
Schomaker, Verner (see Jones, Morton E.)—511(L)
—— (see Shoolery, J. N.)—1364
—— (see Simonetta, Massimo)—649
Schriever, William. Space charge in electrolytes during electrolysis: a reply—1212(L)
—— **and Eldon E. Ferguson.** Macroscopic space charge in a potassium chloride solution during electrolysis—609
Schulz, L. G. Polymorphism of RbBr—504(L)
Schurin, B. S. (see Kelly, R. L.)—1595
Schwartz, H. M. and R. R. Edwards. Orbital perturbation effects in beta-decay—385(L)
Schweitzer, Francis E. and Ervin R. Van Artsdalen. Bromination of hydrocarbons. V. Neopentane and hydrogen chain lengths. Efficiency of neopentane as a third body—1028
Schwertz, F. A. and Jeanne E. Brow. Diffusivity of water vapor in some common gases—640
Scott, E. J., L. H. Tung, and H. G. Drickamer. Diffusion through an interface—1075
Scruby, R. E., J. R. Lacher, and J. D. Park. Infrared spectrum of boron trichloride—386(L)
Sears, G. W. (see Hopke, E. R.)—1345
Sehon, A. H. (see Szwarc, M.)—656(L), 657(L)
Seki, Syûzô, Masanobu Momotani, and Kazumi Nakatsu. Phase transition in beriumdicalcium-propionate—1061(L)
Selikson, Bernard (see Moore, Walter J.)—1539
Senior, James K. Unimerism—865
Sette, Daniele. Elastic relaxation and structure of liquids. I. Ultrasonic absorption in some halogenated methylenes, ethanes, and ethylenes—1337
—— On the elastic relaxation in carbon disulfide: the temperature dependence of the ultrasonic absorption coefficient—1342
Seya, M. (see Tanaka, Y.)—979(L)
Sharp, D. E. (see Sheline, R. K.)—1422(L)
Shaw, T. M. and J. J. Windle. Microwave spectrum and dipole moment of methyl mercaptan—1063(L)
Sheehan, William F., Jr. (see Shoolery, J. N.)—1364
Sheline, R. K., D. E. Sharp, and W. J. Arner. Color centers in glass-1422(L)
Shelton, Russell D. and Alvin H. Nielsen. Infrared study of the polymer bands of hydrogen fluoride vapor—1312(L)
Sheppard, N. (see Brown, J. K.)—976(L)
Sherburne, R. K. and H. E. Farnsworth. Activation of a solid nickel catalyst for the hydrogenation of ethylene by heat treatment in a high vacuum—387(L)
Sheridan, John and Walter Gordy. Microwave spectra and molecular structures of trifluorosilane derivatives—965
Shimanouchi, Takahiko (see Mizushima, San-ichiro)—1477
——, **Kenji Kuratani, and San-ichiro Mizushima.** Infrared dichroism of diketopiperazine—1479
Shipman, J. J. (see Dannis, M. L.)—382(L)
Shirai, Michio (see Yasumi, Masasi)—978(L)
Shoemaker, David P. (see Bergman, B. Gunnar)—515(L)
Shono, Hisao (see Kakiuchi, Yoshinobu)—1069(L)
Shoolery, J. N., R. G. Shulman, William F. Sheehan, Jr., Verner Schomaker, and Don M. Yost. Structure of trifluoromethyl acetylene from the microwave spectrum and electron diffraction pattern—1364
——, **R. G. Shulman, and Don M. Yost.** Dipole moment and electric quadrupole effects in HNCO and HNCS—250(L)
Shuler, K. E. Erratum: Kinetics of OH radicals from flame emission spectra. I—139(L)
Shuler, Kurt E. Kinetics of OH radicals from flame emission spectra. III. Total transition probabilities and the energetic distribution of $OH(^2\Sigma^+)$ and $O_2(^3\Sigma_u^-)$ in the oxy-hydrogen flame—888
Shull, Harrison and Frank O. Ellison. Effect of variation of Z upon the theoretically computed energy levels of benzene—1215(L)
—— **and Frank O. Ellison.** Theoretical calculation of transition probabilities—1610(L)
Shulman, R. G. (see Shoolery, J. N.)—250(L), 1364
Shulman, S. (see Leonard, B. R., Jr.)—793(L)
Shuttleworth, R. (see Benson, G. C.)—130(L)
Silverman, Shirleigh (see Benedict, W. S.)—1325(L)
Simonetta, Massimo and Verner Schomaker. Calculation of coefficients of coulomb and exchange integrals in matrix elements involving polar singlet structures—649

Singer, J. J., Jr. (see MacGillavry, D.)—1195
Sinha, S. P. (see Cowan, R. D.)—794(L)
Sirkar, S. C. On the origin of low frequency Raman lines in organic crystals—256(L)
Sirvetz, M. H. Microwave spectrum of furan—1609(L)
—— Microwave spectrum of sulfur dioxide—938
Sixma, F. L. J. Theoretical treatment of the meta-orienting effect of some substituents in the benzene nucleus—1209(L)
Slater, J. C. Note on orthogonal atomic orbitals—220
Smart, J. Samuel (see Maxwell, Louis R.)—303
Smith, A. Lee, William E. Keller, and Herrick L. Johnston. Infrared and Raman spectra and condensed nitric oxide—189
Smith, D. C. Infrared spectrum of stibine—384(L)
—— (see Daasch, L. W.)—22
Smith, William V. (see Crable, George F.)—502(L)
—— (see Greenhow, Charles)—1298
Snow, A. I. Outer electron configuration in metallic copper—1124
Snyder, R. G. (see Decius, J. C.)—806(L)
Spotz, Ellen L. and Joseph O. Hirschfelder. Liesegang ring formation arising from diffusion of ammonia and hydrogen chlorine gases through air—1215(L)
Spurr, Robert A. and Shih-Chuan Chang. Out-of-plane hydrogen vibrations in triborine triamine—518(L)
Statton, W. O. Phase diagram of the BaO-TiO_2 system—33
Steacie, E. W. R. and M. Szwarc. Note on the temperature-independent factors of elementary reactions—1309
—— (see Bywater, S.)—172, 319, 326
—— (see Calvert, J. G.)—176
—— (see Masson, C. R.)—183
—— (see Miller, D. M.)—73
—— (see Trotman-Dickenson, A. F.)—163, 169, 329
Steele, W. C. (see Decius, J. C.)—806(L)
Stein, Norman (see Boyd, Charles A.)—548
Steingrimsson, Virginia (see Boyd, Charles A.)—548
Stern, Kurt H., Frank Healey, Jr., and Arthur E. Martell, Contact distances of ion pairs in the isomeric dichloroethanes—1114
Stevenson, D. P. Mass spectra of propanes and butanes containing C^{13}—17
——, **D. D. Tunnicliff, and C. D. Wagner.** On the ultraviolet absorption of cyanogen chloride—128(L)
—— **and C. D. Wagner.** Mass spectra of C_2-C_4 monodeutero paraffins—11
Stoenner, R. and N. Elliott. Magnetic susceptibility of uranium tetrachloride—950
Storch, H. H. (see Anderson, R. B.)—313
Stranks, D. R. and G. M. Harris. Carbon-14 isotope effect in an inorganic equilibrium—257(L)
Strick, Ellis (see Clay, C. S.)—1429(L)
Stripp, Kenneth F. and John G. Kirkwood. Asymptotic expansion of the partition function of the asymmetric top—1131
Sullivan, John H. and Norman Davidson. Kinetics of the forward and reverse reactions for the vapor phase thermal bromination of chloroform—143
Sutcliffe, L. H. and A. D. Walsh. Vacuum ultraviolet spectrum of allene—1210(L)
Suzuki, Keizo. Markoff chains and chain molecules—385(L)
Swegler, E. W., H. A. Scheraga, and E. R. Van Artsdalen. Bromination of hydrocarbons. III. Photo-bromination of toluene—135(L)
Szwarc, Michael. Remarks on the calculating rates of some radical reactions—256(L)
—— Reply to a letter to the editor entitled, "Concerning the steric factor of free radical reactions" by Gomer and Dorfman—380(L)
—— **and A. H. Sehon.** Effect of halogenation on the C-Br bond dissociation energy in halogenated bromomethanes—656(L)
——, **C. H. Leigh, and A. H. Sehon.** Influence of aromatic substitution on the C-Br bond dissociation energy—657(L)
—— (see Evans, M. G.)—1322(L)
—— (see Murawski, J.)—698
—— (see Steacie, E. W. R.)—1309

Takahashi, Ukiko (see Tanaka, Toshio)—1330(L)
Talley, Robert M. and Alvin H. Nielsen. Vibration-rotation transitions of C_2D_2 in the microwave region—805(L)
Tanaka, Toshio, Ukiko Takahashi, Rokuro Okawara, and Takeo Watase. Heats of combustion and formation of some organosilicon compounds—1330(L)
Tanaka, Y., M. Seya, and K. Mori. New absorption bands of the NO molecule in the extreme ultraviolet region—979(L)
Tarte, P. (see D'Or, L.)—1064(L)
Tatibana, Masao (see Isihara, Akira)—1508
Taube, Henry (see Hunt, John P.)—602
Taylor, G. Russell (see Parr, Robert G.)—497
Taylor, H. Austin (see Johnson, Clarence I.)—613
—— (see Kandel, Richard J.)—1250
Taylor, J. H. Two new absorption bands of N_2O—1314(L)
Teegan, J. P. and A. D, Walsh. Empirical relations involving ionization potentials—1070(L)
Teller, E. (see McMillan, W. G.)—25
Thomas, C. O. (see Koski, W. S.)—1286
Thomas, Henry C. Solid diffusion in chromatography—1213(L)
—— (see Knox, Kerro)—224
Thomas, P. T. (see Maccoll, Allan)—977(L)
Thomas, W. J. Orville. Parallel vibrations of linear triatomic molecules—1162
Thornton, V. (see Condon, Francis E.)—1010
—— (see McMurry, H. L.)—1014
Tichenor, Robert L. Role of oxide composition in oxidation of nickel and cobalt—796(L)
Tickner, A. W. and D. J. Le Roy. Preparation and reactions of free vinyl radicals—1247
—— (see Lossing, F. P.)—1254
Timmerhaus, K. D. and H. G. Drickamer. Self-diffusion in CO_2 at moderate pressures—1242
Tinker, John F. Concerning cyclic polyenes—981(L)
Tobias, Charles W. Space charge in electrolytes during electrolysis—1211(L)
Torkington, P. General valence orbitals derivable by sp_3 hybridization—528
—— Nature of the scale factor occurring in the quantum-mechanical treatment of systems by the variational method—979(L)
—— Property of the mass-ratio $m_{Cl^{35}}/m_{O^{16}}$—659(L)
Trotman-Dickenson, A. F. Decomposition of radicals produced by mercury photo-sensitization—261(L)
—— **and E. W. R. Steacie.** Reactions of methyl radicals. III. The abstraction of hydrogen atoms from olefins—169
—— **and E. W. R. Steacie.** Reactions of methyl radicals. IV. The abstraction of hydrogen atoms from cyclic hydrocarbons, butynes, amines, alcohols, ethers, and ammonia—329
——, **J. R. Birchard, and E. W. R. Steacie.** Reactions of methyl radicals. II. The abstraction of hydrogen atoms from paraffins—163
Tung, L. H. (see Scott, E. J.)—1075
Tunnicliff, D. D. (see Stevenson, D. P.)—128(L)

Ullman, Robert (see Riseman, Jacob)—578

v. Stackelberg, M. and H. R. Müller. On the structure of gas hydrates—1319(L)
Van Artsdalen, Ervin R. (see Hormats, Ellis I.)—778
—— (see Schweitzer, Francis E.)—1028

—— (see Swegler, E. W.)—135(L)
Vance, John E. and Charles I. Whitman. Vapor pressure of zinc in the range 300°–360°C—744
Van Dyke Tiers, George. Re-examination of the infrared spectra of the monodeutero toluenes: a method of analysis—1072(L)
Vedder, W. (see Ketelaar, J. A. A.)—654(L)
Venkateswarlu, Putcha. Infrared spectrum of methyl chloroform in the region 1.6μ–20μ—298
—— Rotation-vibration spectrum of methyl cyanide in the region 1.6μ–20μ—293
Vodar, B. (see Safary, E.)—379(L)
Voelz, Fred L., Arnold G. Meister, and Forrest F. Cleveland. Force constants and calculated thermodynamic properties for SiF_4—1084
Vollrath, R. E. (see Donoghue, J. J.)—55
Volman, David H. Methyl radical induced polymerization of gaseous butadiene—668
von Elbe, Guenther (see Roth, Walter)—1530
von Engel, A. (see Harries, W. L.)—514(L)
Voter, Roger C. (see Godycki, L. Edward)—1205(L)

Wagner, C. D. (see Stevenson, D. P.)—11, 128(L)
Wagner, Carl. Thermodynamic investigations on ternary amalgams—626
Wagner, E. L. and E. L. Bulgozdy. Rotational isomerism in hydrazine—1210(L)
Walker, Richard A. On the interpretation of relaxation time measurements in gas mixtures—494
Wall, Frederick T. and Paul J. Flory. Statistical thermodynamics of rubber elasticity—1435
——**J. W. Drenan, M. R. Hatfield, and C. L. Painter.** Light scattering studies on coiling polyelectrolytes—585
Wallis, R. (see Hart, R. W.)—139(L)
Walsh, A. D. (see Sutcliffe, L. H.)—1210(L)
—— (see Teegan, J. P.)—1070(L)
Walsh, J. M. and F. A. Matsen. Molecular orbital calculations for H_3—526
Waser, Jürg and Edwin D. McClanahan, Jr. Crystal structure of $NaPt_3O_4$—413
Watase, Takeo (see Tanaka, Toshio)—1330(L)
Wayne, Lowell G. and Don M. Yost. Kinetics of the rapid gas phase reaction between NO, NO_2, and H_2O—41
Weber, D. and S. S. Penner. Integrated absorption of fundamental of CO from measurements using self-broadening of rotational lines—974(L)
—— (see Penner, S. S.)—807, 817, 1351, 1361
Weber, Joseph and Keith J. Laidler. Kinetics of the ammonia-deuterium exchange by a microwave method—381(L)
—— **and Keith J. Laidler.** Microwave spectroscopic investigation of the kinetics of the heterogeneous ammonia-deuterium exchange—1089
Weiss, Joseph. Isotopic exchange between metal ions of different valency—1066(L)
Wells, F. E. (see Karlovitz, Béla)—541
Welsh, H. L., P. E. Pashler, and A. F. Dunn. Influence of foreign gases at high pressures on the infrared absorption band of methane at 3.3μ—340
Wentorf, R. H., Jr. (see Buehler, R. J.)—61
West, C. D. Structure-optical studies. III. Smeared x-ray layer lines from periodide crystals—1432(L)
West, W. and B. H. Carroll. Energy transfer in the photosensitization of silver halide photographic emulsions: optical sensitization, supersensitization, and antisensitization—417
Whalley, E. Thermal diffusion in hydrogen-water vapor mixtures—509(L)
Wheatley, Quentin de L. (see Gilles, Paul W.)—129(L)
White, Charles E. (see Levin, Irvin)—1079
White, David (see Friedman, Abraham Solomon)—126
Whitman, Charles I. (see Vance, John E.)—744
Williams, Ferd E. Absolute theory of solid-state luminescence—457
Wilson, E. Bright, Jr. (see Decius, J. C.)—1409
Wilson, E. Justin, Jr. (see Barr, W. J.)—470
Windle, J. J. (see Shaw, T. M.)—1063(L)
Winston, Harvey. Electronic energy levels of molecular crystals—156
Wise, Henry and David Altman. Measurement of chemical equilibria by means of the critical flow orifice—515(L)
Woltz, P. J. H. (see Jones, E. A.)—242, 337
Wood, Elizabeth A. Evidence for the noncubic high temperature phase of $BaTiO_3$—976(L)
Wood, G. B. (see Kurbatov, M. H.)—258(L)
Woodrow, Carroll C., Marvin Carmack, and John G. Miller. Dipole moments and structures of a series of alkyl polysulfides—951

Yager, W. A. (see Holden, A. N.)—1319(L)
Yamamoto, Daijiro and Ryojiro Iwaki. Relations between dye phosphors and hydrogen bonds of rigid media or surface of adsorbents—662(L)
Yang, Tai-Yuan. Transformation of water from covalent to electrovalent combination in formic acid-water mixtures—647
Yasumi, Masashi, Hideo Okabayashi, Michio Shirai, and San-ichiro Mizushima. Dielectric constant and loss factor of ethyl alcohol and water at $\lambda = 3.24$ cm obtained by free wave method—978(L)
—— (see Mizushima, San-ichiro)—1477
Yost, Don M. (see Shoolery, J. N.)—250(L), 1364
—— (see Wayne, Lowell G.)—41
Yuster, Philip (see Delbecq, Charles J.)—574

Zimm, Bruno H. Contribution to the theory of critical phenomena—1019
Zwanzig, Robert W. (see Irving, J. H.)—1173

Analytic Subject Index to Volume 19

(References with (L) are Letters to the Editor)

Absorption Spectra

Analysis of the 774 cm^{-1} (ν_6) absorption band of F_2CO, Alvin H. Nielsen—98

Determination of isotope ratios, e.g., in tracer work, by an infrared absorption method, J. M. W. Milatz, J. C. Kluyver, and J. Hardebol—887

Effects of added chlorides on the absorption spectra of cobaltous chloride in water in formamide, Lyle R. Dawson and Julian H. Chaudet—771

Excited triplet states of some polyatomic molecules. I, Donald S. McClure—670

Experimental determination of even-odd character of excited electronic states of molecules with a center of symmetry, John R. Platt—1418

Fundamental vibrations and crystal structure of H_2S and D_2S, J. B. Lohman, F. P. Reding, and D. F. Hornig—252(L)

Integrated absorption of the fundamental of CO from measurements using self-broadening of rotational lines, D. Weber and S. S. Penner—974(L)

Isoconjugate spectra and variconjugate sequences, John R. Platt—101

Isotope effect in the band spectrum of HNO_2, George Porter—1278

Microwave spectroscopic investigation of the kinetics of the heterogeneous ammonia-deuterium exchange, J. Weber and Keith J. Laidler—1089

Near infrared pleochroism. II. The 0.8–2.5μ region of some linear polymers, L. Glatt and J. W. Ellis—449

New type of short wavelength absorption band in alkali halides containing color centers, Charles J. Delbecq, Peter Pringsheim, and Philip Yuster—574

On the hyperfine structure of the rotational spectra of XYZ_3-type molecule, where nuclei Z have electric quadrupole moments, Masataka Mizushima and Takashi Ito—739

Optical rotation of quartz in the infrared to 9.7μ, H. S. Gutowsky—438

Paramagnetic resonance absorption of microwaves, Forrest W. Lancaster and Walter Gordy—1181

Pure quadrupole spectra: the substituted methanes, Ralph Livingston—1434(L)

Pure quadrupole spectrum of solid vinyl chloride, J. H. Goldstein and Ralph Livingston—1613(L)

Quantitative line-width measurements in the infrared. I. Carbon monoxide pressurized with infrared-inactive gases, S. S. Penner and D. Weber—1351

Quantitative line-width measurements in the infrared. II. Unpressurized carbon monoxide, S. S. Penner and D. Weber —1361

Remarks on the interpretation of the CH_2 vibrational frequencies of n-paraffins, Gordon M. Barrow—345

Solvent effects for the ultraviolet spectra of aromatic hydrocarbons, Robert Schnurmann and William Francis Maddams—1430(L)

Solvent induced frequency shifts for cata-condensed aromatics, Norman D. Coggeshall and Abbott Pozefsky—980(L)

Spectra of bromine pentafluoride, T. G. Burke and E. A. Jones—1611(L)

Spectroscopic evidence of the dimerization of NO in the gaseous state, L. D'Or, A. de Lattre, and P. Tarte—1064(L)

Spectroscopic moment: a parameter of substituent groups determining aromatic ultraviolet intensities, John R. Platt—263

Studies of Zeeman effects from solutions of europium and neodymium salts, George J. Rotariu—977(L)

Sum rules for the vibration frequencies of isotopic molecules, J. D. Decius and E. Bright Wilson, Jr.—1409

Two new absorption bands of N_2O, J. H. Taylor—1314(L)

Vibrational intensities. III. Carbon dioxide and nitrous oxide, David F. Eggers, Jr., and Bryce L. Crawford, Jr.—1554

Infrared of

Acetylene, erratum, E. E. Bell and H. H. Nielsen—136(L)

Boron trichloride, R. E. Scruby, J. R. Lacher, and J. D. Park—386(L)

CD_3CCH and the structure of methyl acetylene, G. Herzberg, A. Vallance Jones, and L. C. Leitch—136(L)

CD_2CO and CHDCO, William H. Fletcher and William F. Arendale—1431(L)

CH_2N_2 and CD_2N_2, Bryce L. Crawford, Jr., William H. Fletcher, and D. A. Ramsay—406

ClF, Alvin H. Nielsen and Ernest A. Jones—1117

Cl_2O and ClO_2, Kenneth Hedberg—509(L)

CO, first overtone of unpressurized gas, S. S. Penner and D. Weber—817

CO pressurized with infrared-inactive gases, S. S. Penner and D. Weber—807

CO_2, R-branch heads of some bands in the $CO+O_2$ flame spectrum, W. S. Benedict, Robert C. Herman, and Shirleigh Silverman—1325(L)

Cyanogen and cyanogen chloride, erratum, Eugene R. Nixon and Paul C. Cross—1067(L)

$DC^{12}N$ and $DC^{13}N$, W. S. Richardson—1213(L)

D_2O, K. Keith Innes, Paul C. Cross, and Paul A. Giguere—1086

Diborane and some of its isotopic derivatives, R. C. Lord and E. Nielsen—1

Ethylene, Earle K. Plyler—658(L)

F_2CO, Alvin H. Nielsen—98

F_2O, new measurements, E. A. Jones, J. S. Kirby-Smith, P. J. H. Woltz, and A. H. Nielsen—337

F_2O, note concerning the paper of this, Alvin H. Nielsen—379(L)

Gaseous nitrous acid, Llewellyn H. Jones, Richard M. Badger, and Gordon Moore—1599

$H_2C=CD_2$, John E. Lancaster, Richard G. Inskeep, and Bryce L. Crawford, Jr.—661(L)

$H_2C=CHD$, C. Courtoy, M. de Hemptinne, and M. V. Migeotte—137(L)

HOCl and DOCl, Kenneth Hedberg and Richard M. Badger—508(L)

H_2S, Harry C. Allen, Jr., and Paul C. Cross—140(L)

H_2S at 1183 cm^{-1}, Robert H. Noble—799(L)

Hydroxyl groups, band intensities in the 3 micron region due to free and bonded groups, S. A. Francis—505(L)

Ketones and esters, S. A. Francis—942

KHF_2, J. A. A. Ketelaar and W. Vedder—654(L)

Mesitylene complexes, George C. Pimentel, George Jura, and Leonard Grotz—513(L)

Methane, the influence of foreign gases at high pressures on the band at 3.3μ, H. L. Welsh, P. E. Pashler, and A. F. Dunn—340

Methyl chloroform in the region 1.6μ–20μ, Putcha Venkateswarlu—298

Methyl cyanide in the region 1.6μ–20μ, Putcha Venkateswarlu—293

Methyl fluoroform from 19μ to 0.7μ, erratum, R. D. Cowan, G. Herzberg, and S. P. Sinha—794(L)

Methylhydrazine and symmetrical dimethylhydrazine, D. W. E. Axford, G. J. Janz, and K. E. Russell—704
Mixed crystals in naphthalene in anthracene, George C. Pimentel—1536
Mixed crystals, interpretation, Henry J. Hrostowski and George C. Pimentel—661(L)
Monochlorosilane, its vibration-rotation spectrum and structure, André Monfils—138(L)
Monodeutero toluenes, George Van Dyke Tiers—1072(L)
N-acetylglycine and diketopiperazine in polarized radiation at 25° and at −185°C, Roger Newman and Richard M. Badger—1147
NH_3 and ND_3 in crystals, F. P. Reding and D. F. Hornig—594
NO in condensed phase, A. Lee Smith, William E. Keller, and Herrick L. Johnston—189
OCS and CS_2, David Z. Robinson—881
Of CH_3I and CD_3I, Paul F. Fenlon, Forrest F. Cleveland, and Arnold G. Meister—1561
OH in the photographic infrared, George A. Hornbeck and Robert C. Herman—512(L)
Out-of-plane hydrogen vibrations in triborine triamine, Robert A. Spurr and Shih-Chuan Chang—518(L)
Polymer bands of hydrogen fluoride vapor, Russell D. Shelton and Alvin H. Nielsen—1312(L)
Potassium bifluoride at −185°C, Roger Newman and Richard M. Badger—1207(L)
Propane and its symmetrical deuterium substituted analogs, H. L. McMurry and V. Thornton—1014
Rapidly solidified vapors, F. E. Malherbe and H. J. Bernstein—1607(L)
S_8, S_2Cl_2, and P_4, erratum, H. J. Bernstein and J. Powling—139(L)
SiF_4, E. A. Jones, J. S. Kirby-Smith, P. J. H. Woltz, and A. H. Nielsen—242
SF_6, R. T. Lagemann and E. A. Jones—534
Some complex hexafluorides, A. de Lattre—1610(L)
Some deuterium-containing derivatives of propane, Francis E. Condon, H. L. McMurry, and V. Thornton—1010
Stibine, D. C. Smith—384(L)
Substituted ethanes, M. Zaki El-Sabban, Arnold G. Meister, and Forrest F. Cleveland—855
Substituted stilbenes, Melvin Calvin and H. Ward Alter—765
Sulfur hexafluoride, D. Edelson and K. B. McAfee—1311(L)
Trichloromethanes, John R. Madigan and Forrest F. Cleveland—119
Trimethylphosphine oxide, L. W. Daasch and D. C. Smith—22
Trioxane, J. C. Decius, W. C. Steele, and R. G. Snyder—806(L)
Vinylidene cyanide, M. L. Dannis and J. J. Shipman—382(L)
Microwave of
Ammonia, Joseph Weber and Keith J. Laidler—381(L)
C_2D_2, Robert M. Talley and Alvin H. Nielsen—805(L)
Ethylene oxide and ethylene sulfide, George L. Cunningham, Jr., A. W. Boyd, Rollie J. Myers, William D. Gwinn, and W. I. Le Van—676
Furan, M. H. Sirvetz—1609(L)
Methyl mercaptan, T. M. Shaw and J. J. Windle—1063(L)
Methyl stannane, David R. Lide, Jr.—1605
Pure quadrupole spectrum of solid chlorine, Ralph Livingston—803(L)
SO_2, M. H. Sirvetz—938
SO_2 and the structure and dipole moment deduced from this spectra, George R. Crable and William V. Smith—502(L)
Trifluoromethyl acetylene, J. N. Shoolery, R. G. Shulman, William F. Sheehan, Jr., Verner Schomaker, and Don M. Yost—1364
Trifluorosilane derivatives, John Sheridan and Walter Gordy—965
Ultraviolet of
Allene in the vacuum ultraviolet, L. H. Sutcliffe and A. D. Walsh—1210(L)
Benzaldehyde vapor, Sunao Imanishi—389(L)
Benzene-halogen complexes and of iodine in solution, J. S. Ham, J. R. Platt, and H. McConnell—1301
Cyanogen chloride, D. P. Stevenson, D. D. Tunicliff, and C. D. Wagner—128(L)
Fluoroethene, William Francis Maddams and Robert Schnurmann—973(L)
Gaseous diazomethane and diaxoethane. Evidence for the existence of ethylidine radicals in diazoethane photolysis, R. K. Brinton and D. H. Volman—1394
HF gas, E. Safary—1319(L)
Hydrogen fluoride gas, E. Safary, J. Romand, and B. Vodar—379(L)
NO, Y. Tanaka, M. Seya, and K. Mori—979(L)
Oxalyl chloride, B. D. Saksena and R. E. Kagarise—999
Solutions of the diazines, Frederick Halverson and Robert C. Hirt—711
Sulfur hexafluoride in the vacuum ultraviolet region, Takong Liu, George Moe, and A. B. F. Duncan—71
Accommodation Coefficients
Adsorption (see **Surface Phenomena**)
Apparatus and Methods
Determination of isotope ratios, e.g., in tracer work, by an infrared absorption method, J. M. W. Milatz, J. C. Kluyver, and J. Hardebol—887
High resolution mass spectrometry, Clifford E. Berry and S. M. Rock—1208(L)
Interferometric method of determining diffusion coefficients in gaseous systems, Charles A. Boyd, Norman Stein, Virginia Steingrimsson, and William F. Rumpel—548
Intramolecular isotopic fractionation—the example of nitrous oxide, J. M. McCrea—48
Kinetics of the ammonia-deuterium exchange by a microwave method, Joseph Weber and Keith J. Laidler—381(L)
Measurement of chemical equilibria by means of the critical flow orifice, Henry Wise and David Altman—515(L)
Novel method for the estimation of very low pressures, Robert Gomer—1072(L)
Numerical integration as a labor-saving device in the compilation of thermodynamic properties of polyatomic molecules, Robert E. Pennington and Kenneth A. Kobe—510(L)
Parent peak intensities as a basis for estimating purities of deuterium substituted compounds, H. W. Rollmann and H. L. McMurry—804(L)
Photoelectric observation of the rate of dissociation of N_2O_4 by a shock wave, Tucker Carrington and Norman Davidson—1313(L)
Polarization of Rayleigh scattering as an aid to the determination of molecular orientation in solids, E. G. Cox—1325(L)
Preparation and reactions of free vinyl radicals, A. W. Tickner and D. J. LeRoy—1247
Property of the mass-ratio of $m_{Cl^{35}}/m_{O^{16}}$, P. Torkington—659(L)
Re-examination of the infrared spectra of the monodeutero toluenes: a method of analysis, George Van Dyke Tiers—1072(L)
Scintillations in the diphenylpolyenes and related compounds, W. S. Koski and C. O. Thomas—1286
Tensile strength of benzene, J. J. Donoghue, R. E. Vollrath, and E. Gerjuoy—55
Two-path method for measuring flame temperatures and concentrations in low pressure combustion chambers, S. S. Penner—272; Errata—1434(L)

Apparatus and Methods (continued)
Use of a low temperature bolometer for detecting a beam of free radicals, C. A. Reilly and B. S. Rabinovitch—248
Use of punched cards in molecular structure determinations. IV. Approximations to the temperature factor, Morton E. Jones and Verner Schomaker—511(L)
Use of single-crystal neutron diffraction data for crystal structure determination, S. W. Peterson and Henri A. Levy—1416

Catalysis
Absolute rate of the chemisorption of hydrogen on reduced copper, Takao Kwan and Masaharu Kujirai—798(L)
Activation of a solid nickel catalyst for the hydrogenation of ethylene by heat treatment in a high vacuum, R. K. Sherburne and H. E. Farnsworth—387(L)
Exchange between N_2^{30} and N_2^{28} over iron catalysts, J. T. Kummer and P. H. Emmett—289
Fischer-Tropsch reaction mechanism involving stepwise growth of carbon chain, R. B. Anderson, R. A. Friedel, and H. H. Storch—313
Radiotracer study of cationic surface-active agents by measurement of gegenion adsorption Charles M. Judson, Ann A. Argyle, J. K. Dixon, and D. J. Salley—378(L); Errata—661(L)
Rate equation of ammonia-synthesis on iron-type catalysts of different composition, R. Brill—1047
Role of oxide composition in oxidation of nickel and cobalt, Robert L. Tichenor—796(L)
Thermomagnetic investigations of promoted and unpromoted iron oxide and iron catalysts, Louis R. Maxwell, J. Samuel Smart, and Stephen Brunauer—303

Cataphoresis
Cataphoresis of spherical fluid droplets in electrolytes, F. Booth—1331
Electrokinetic potentials of small particles by the sedimentation method, G. A. H. Elton—1317(L)

Chemical Reactions (see **Kinetics of Reactions**)

Chromatography
Jones reductor: a model for the kinetics of chromatography, Kerro Knox and Henry C. Thomas—224
Solid diffusion in chromatography, Henry C. Thomas—1213(L)

Conductance
Conductivities of strong electrolytes in aqueous solution, Robert L. Evans—310
Equivalent and ionic conductances for sodium and potassium chlorides in anhydrous methanol at 25°C, J. P. Butler, H. I. Schiff, and A. R. Gordon—752
Influence of irradiation on the low frequency electrodeless discharge in chlorine, W. L. Harries and A. von Engel—514(L)
Ionic transport in liquid silicates, J. O'M. Bockris, J. A. Kitchener, and A. E. Davies—255(L)
Macroscopic space charge in a potassium chloride solution during electrolysis, William Schriever and Eldon E. Ferguson—609
Optical absorption and photoconductivity of amorphous and hexagonal selenium, M. A. Gilleo—1291
Solution of some potential problems in the theory of electrolytes, F. Booth—821
Some newer experimental results on the osmosis in alternating electric fields, Z. László—133(L)
Space charge in electrolytes during electrolysis, Charles W. Tobias—1211(L)
Space charge in electrolytes during electrolysis: a reply, William Schriever—1212(L)
Spectroscopic evidence for the proton conductivity through solid alcohols, Yoshinobu Kakiuchi, Hachiro Komatsu, and Susumu Kyoya—132(L)
Transference numbers for sodium and potassium chlorides in anhydrous methanol at 25°C, J. A. Davies, R. L. Kay, and A. R. Gordon—749

Crystal Structure
Anomalous x-ray diffraction spectra in graphite, Joseph S. Lukesh—1203(L)
Crystal structure of chromium (II) chloride, L. L. Handy and N. W. Gregory—1314(L)
Crystal structure of $NaPt_3O_4$, Jürg Waser and Edwin D. McClanahan, Jr.—413
Evidence for the noncubic high temperature phase of $BaTiO_3$, Elizabeth A. Wood—976(L)
Molecular and crystal structure of nitric oxide dimer, William J. Dulmage, Edward A. Meyers, and William N. Lipscomb—1432(L)
On the structure of gas hydrates, M. v. Stackelberg and H. R. Müller—1319(L)
Polarization of Rayleigh scattering as an aid to the determination of molecular orientation in solids, E. G. Cox—1325(L)
Polymorphism of RbBr, L. G. Schulz—504(L)
Second water structure for inert gas hydrates, W. F. Claussen—1425(L)
Space group of the σ-FeCr crystal structure, B. Gunnar Bergman and David P. Shoemaker—515(L)
Structure-optical studies. III. Smeared x-ray layer lines from periodide crystals, C. D. West—1432(L)
Suggested structures of water in inert gas hydrates, W. F. Claussen—259(L); Erratum—662(L)
Use of single-crystal neutron diffraction data for crystal structure determination, S. W. Peterson and Henri A. Levy—1416

Crystalline State
Absolute theory of solid-state luminescence, Ferd E. Williams—457
Calculation of degree of crystallinity in polymers from density measurements, Fraser P. Price—973(L)
Cathode luminescence of crystalline quartz, B. D. Saksena and L. M. Pant—134(L)
Concentration of molecules on internal surfaces in ice, E. J. Murphy—1516
Coulomb energy of complex crystals, Edward Fisher—1284
Critical field curve in an antiferromagnetic crystal, C. G. B. Garrett—1154
Diffusion of copper in cuprous oxide, Walter J. Moore and Bernard Selikson—1539
Directional properties of single crystal of anthracene regarding fluorescence phenomena, S. C. Ganguly and N. K. Chaudhuri—617
Dissociation energies of Cd^{++} vacancy complex and of the double vacancy in sodium chloride, John R. Reitz and J. L. Gammel—894
Effect of grinding on particles, Benjamin C. Bradshaw—1057
Energy transfer in the photo-sensitization of silver halide photographic emulsions: optical sensitization, supersensitization, and antisensitization, W. West and B. H. Carroll—417
Evidence for the noncubic high temperature phase of $BaTiO_3$, Elizabeth A. Wood—976(L)
External oscillations and specific heat of calcite, L. Giulotto and A. Loinger—1316(L)
Fundamental vibrations and crystal structure of H_2S and D_2S, J. B. Lohman, F. P. Reding, and D. F. Hornig—252(L)
High temperature specific heat of AgBr, R. W. Christy and A. W. Lawson—517(L)
Hydrogen sulfide band at 1180 cm^{-1}, Harry C. Allen, Jr., and Paul C. Cross—140(L)

Infrared dichroism of diketopiperazine, Takehiko Shimanouchi, Kenji Kuratani, and San-ichiro Mizushima—1479
Infrared spectra of rapidly solidified vapors, F. E. Malherbe and H. J. Bernstein—1607(L)
Infrared studies of mixed crystals: naphthalene in anthracene, George C. Pimentel—1536
Interpretation of the vibration spectrum of mix-crystals, Frank Matossi—161
New type of short wavelength absorption band in alkali halides containing color centers, Charles J. Delbecq, Peter Pringsheim, and Philip Yuster—574
New viewpoint in computing crystal frequencies, W. A. Nierenberg—659(L)
Normal frequencies of a one-dimensional crystal. II. An approximation to the lattice frequency distribution in isotropic solids, J. O. Halford—1375
Note on frequency spectra of simple solids from specific heat data, E. Katz—488
Note on the hydrogen-deuterium isotope effect in crystals, Christer E. Nordman and William N. Lipscomb—1422(L)
On the origin of low frequency Raman lines in organic crystals, S. C. Sirkar—256(L)
On the possible identity of rhombohedral and orthorhombic graphite, Joseph S. Lukesh—383(L)
On the quantum-mechanical calculation of the cohesive energy of molecules and crystals. Part II. Treatment of the alkali metals with numerical applications to sodium, Per-Olov Löwdin—1579
Optical absorption and photoconductivity of amorphous and hexagonal selenium, M. A. Gilleo—1291
Optical rotation of quartz in the infrared to 9.7μ, H. S. Gutowsky—438
Outer electron configuration in metallic copper, A. I. Snow—1124
Partition functions of cubic lattices, E. Fisher—632
Phase transition in bariumdicalcium-propionate, Syûzô Seki, Masanobu Momotani, and Kazumi Nakatsu—1061(L)
Photoconductivity of some triphenylmethane dyes, R. C. Nelson—798(L)
Polymorphism of RbBr, L. G. Schulz—504(L)
Properties of the interstitial compounds of graphite. I. The electronic structure of graphite bisulfate, Gerhart Henning—922
Role of chlorine in the luminescence of ZnS:Cu phosphors, Richard H. Bube—985(L)
Rotation of *n*-butylic radical in crystalline state, Tsutomu Oda, Kenza Sakata, and Seiichi Kondo—1314(L)
Solid solutions of the alkali halides. II. The theoretical calculation of lattice constants, heats of mixing, and distributions between solid and aqueous phases, George S. Durham and Janet A. Hawkins—149
Spectroscopic evidence for the proton conductivity through solid alcohols, Yoshinobu Kakiuchi, Hachiro Komatsu, and Susumu Kyoya—132(L)
Studies on tellurium-selenium alloys, E. Grison—1109
Study of metallic electrodes prepared by sublimation, Benjamin C. Bradshaw—1026
Theory of the rotational phase transition in anisotropic molecular crystal, Takehiko Oguchi—1321(L)
Thermal analysis of the system $PbBr_2$–PbO, L. M. Knowles—1128
Triple-dipole interaction. II. Cohesion in crystals of the rare gases, B. M. Axilrod—724
Variation of lattice frequencies with concentration in molecular mix-crystals, Ram Ratan Aggarwal and B. D. Saksena—1480
Vibrational spectra of molecules and complex ions in crystals. V. Ammonia and deutero-ammonia, F. P. Reding and D. F. Hornig—594
Vibration spectrum of rutile, Frank Matossi—1543

Detonation Waves
Density measurements in gaseous detonation waves, G. B. Kistiakowsky—1611(L)
Gaseous detonation. I. Initiation of detonation, A. J. Mooradian and W. E. Gordon—1166

Deuterium (see **Isotopes**)

Dielectrics
Binding energy and dipole moment of alkali halide molecules, Edmund S. Rittner—1030
Calculation of electric dipole moments of some heterocyclics, Per-Olov Löwdin—1323(L)
Concentration of molecules on internal surfaces in ice, E. J. Murphy—1516
Determination of the two-dipole moment components in nitrosyl fluoride, Dale W. Magnuson—1071(L)
Dielectric constant of benzene at 25°C by the Wyman method, A. S. Brown, P. M. Levin, and E. W. Abrahamson—1226
Dielectric constant of ethylene at high pressures, H. G. David, S. D. Hamann, and J. F. Pearse—1490
Dielectric constant and loss of factor of ethyl alcohol and water at $\lambda = 3.24$ cm obtained by free wave method, Masai Yasumi, Hideo Okabayashi, Michio Shirai, and San-ichiro Mizushima—978(L)
Dielectric constant of uranium hexafluoride vapor at 9400 mc/sec, Dale W. Magnuson—1614(L)
Dielectric constant of water and the saturation effect, F. Booth—391; Errata—1327(L); Erratum—1615(L)
Dielectric relaxation in glycerol, propylene glycol, and *n*-propanol, D. W. Davidson and R. H. Cole—1484
Dipole moment and electric quadrupole effects in HNCO and HNCS, J. N. Shoolery, R. G. Shulman, and Don M. Yost—250(L)
Dipole moments and structures of a series of alkyl polysulfides, Carroll C. Woodrow, Marvin Carmack, and John G. Miller—951
Electric moments of polar polymers in relation to their structure, P. Debye and F. Bueche—589
Infrared dispersion of acetylene and the dipole moment of the C–H bond, R. L. Kelly, R. Rollefson, and B. S. Schurin—1595
Microwave spectra, structure, and dipole moments of ethylene oxide and ethylene sulfide, George L. Cunningham, Jr., A. W. Boyd, Rollie J. Myers, William D. Gwinn, and W. I. Le Van—676
Microwave spectrum and dipole moment of methyl mercaptan, T. M. Shaw and J. J. Windle—1063(L)
On the determination of complex dielectric constant of medium loss substances in the microwave region, K. V. Krisna Prasad—797(L)
Osmosis in a high frequency electric field, Z. László—800(L)
Structure and dipole moment of SO_2 from microwave spectra, George F. Crable and William V. Smith—502(L)
Structure and dipole moment of isothiocyanic acid, erratum, C. I. Beard and B. P. Dailey—975(L)
Studies on the photovoltaic effect. II., Irvin Levin and Charles E. White—1079

Diffusion
Calculation of diffusion coefficients from sorption data, Stephen Prager—537
Concentration of molecules on internal surfaces in ice, E. J. Murphy—1516
Dependence of the diffusion coefficient on concentration in dilute polymer solutions, Leo Mandelkern and P. J. Flory—984(L)
Diffusion in CO_2 up to 150 atmospheres pressures, W. L. Robb and H. G. Drickamer—1504
Diffusion in solid sulfur, R. B. Cuddeback and H. G. Drickamer—790(L)

Diffusion (continued)
Diffusion of copper in cuprous oxide, Walter J. Moore and Bernard Selikson—1539
Diffusion of thoron atoms through photographic gelatin, G. G. Eichholz and F. C. Flack—363
Diffusion through an interface, E. J. Scott, L. H. Tung, and H. G. Drickamer—1075
Diffusivity of water vapor in some common gases, F. A. Schwertz and Jeanne E. Brow—640
Gaseous diffusion as a random process, W. H. Furry and P. H. Pitkanen—729
Interferometric method of determining diffusion coefficients in gaseous systems, Charles A. Boyd, Norman Stein, Virginia Steingrimsson, and William F. Rumpel—548
Liesegang ring formation arising from diffusion of ammonia and hydrogen chlorine gases through air, Ellen L. Spotz and Joseph O. Hirschfelder—1215(L)
Self-diffusion in CO_2 at moderate pressures, K. D. Timmerhaus and H. G. Drickamer—1242
Solid diffusion in chromatography, Henry C. Thomas—1213(L)
Wall reactions and diffusion in static and flow systems, Robert Gomer—284

Elasticity
Double refraction of flow: numerical evaluation of extinction angle and birefringence as a function of velocity gradient, Harold A. Scheraga, John T. Edsall, and J. Orten Gadd, Jr.—1101
Tensile strength of benzene, J. J. Donoghue, R. E. Vollrath, and E. Gerjuoy—55
Visco-elastic properties of solutions of rod-like macromolecules, John G. Kirkwood and Peter L. Auer—281

Electrochemistry
Comparative study of unpolarizable and polarizable metal-solution systems, D. MacGillavry—1499
Concerning the temperature coefficient of the emf of reversible galvanic cells operated at variable concentration, James C. M. Li—1059
Effect of ultrasonic radiation on the electrolytic separation of deuterium, Donald F. Mason, Royce E. Biddick, and Charles A. Boyd—1551
Electrokinetic potentials of small particles by the sedimentation method, G. A. H. Elton—1317(L)
Fast electrode reactions, J. G. Barredo—1065(L); Erratum—1429(L)
Influence of irradiation on the low frequency electrodeless discharge in chlorine, W. L. Harries and A. von Engel—514(L)
Mechanism of formation of nitric oxide in glow discharges, R. W. Nicholls—250(L)
Metal-solution potentials of nickel in foreign ion solutions, D. MacGillavry, J. J. Singer, Jr., and J. H. Rosenbaum—1195
Overvoltage at the copper electrode, Thor Rubin—803(L)
Role of a positive column in the reduction of current due to external light in an electrodeless discharge, V. V. Agashe—1002
Solution of some potential problems in the theory of electrolytes, F. Booth—821
Space charge in electrolytes during electrolysis, Charles W. Tobias—1211(L)
Space charge in electrolytes during electrolysis: a reply, William Schriever—1212(L)
Studies on the photovoltaic effect. II., Irvin Levin and Charles E. White—1079
Study of metallic electrodes prepared by sublimation, Benjamin C. Bradshaw—1026

Electron Affinity
Note on the electron affinity of fluorine, Richard B. Bernstein and Max Metlay—1612(L)
On the electron affinity of fluorine, Reed H. Johnston—1391

Electron Diffraction
Electron diffraction by transmission through thin liquid films, Carroll W. Lufcy, Felix S. Palubinskas, and Louis R. Maxwell—217
Molecular and crystal structure of nitric oxide dimer, William J. Dulmage, Edward A. Meyers, and William N. Lipscomb—1432(L)
Structure of trifluoromethyl acetylene from the microwave spectrum and electron diffraction pattern, J. N. Shoolery, R. G. Shulman, William F. Sheehan, Jr., Verner Schomaker, and Don M. Yost—1364
Use of punched cards in molecular structure determinations. IV. Approximations to the temperature factor, Morton E. Jones and Verner Schomaker—511(L)

Electron Microscopy

Emission Spectra
Cathode luminescence of crystalline quartz, D. D. Saksena and L. M. Pant—134(L)
Emission spectra of first-stage combustion in an engine, H. P. Broida, W. J. Levedahl, and F. L. Howard—797(L)
Isotope effect in hydrocarbon flame spectra, George M. Murphy and L. Schoen—380(L)
Kinetics of OH radicals from flame emission spectra. I., Erratum, K. E. Shuler—139(L)
Kinetics of OH radicals from flame emission spectra. III. Total transition probabilities and the energetic distribution of $OH(^2\Sigma^+)$ and $O_2(^3\Sigma_u^-)$ in the oxy-hydrogen flame, Kurt E. Shuler—888
Oscillator strength of H_2^+, $1s\sigma - 2p\sigma$, David R. Bates—1122
R-branch heads of some CO_2 infrared bands in the $CO+O_2$ flame spectrum, W. S. Benedict, Robert C. Herman, and Shirleigh Silverman—1325(L)
Role of a positive column in the reduction of current due to external light in an electrodeless discharge, V. V. Aghashe—1002
Vibrational structure of the hydrocarbon flame bands, George M. Murphy and L. Schoen—1214(L)

Energy Transfer
Bromination of hydrocarbons. V. Neopentane and hydrogen chain lengths. Efficiency of neopentane as a third body, Francis E. Schweitzer and Ervin R. Van Artsdalen—1028
Dielectric relaxation in glycerol, propylene glycol, and *n*-propanol, D. W. Davidson and R. H. Cole—1484
Energy transfer between complex molecules, Margaret M. Moodie and C. Reid—986(L)
Energy transfer by collision in benzene vapor, Laura M. Cheng—693
Energy transfer in the photo-sensitization of silver halide photographic emulsions: optical sensitization, supersensitization, and antisensitization, W. West and B. H. Carroll—417
Gaseous detonation. I. Initiation of detonation, A. J. Mooradian and W. E. Gordon—1166
Heat generation by electric sparks and rate of heat loss to the spark electrodes, Walter Roth, P. G. Guest, Guenther von Elbe, and Bernard Lewis—1530
Note on the scattering of ions by molecules, Vernon Myers—1425(L)
On the interpretation of relaxation time measurements in gas mixtures, Richard A. Walker—494
Role of a positive column in the reduction of current due to external light in an electrodeless discharge, V. V. Agashe—1002
Rotational temperatures of OH in methane-air flames, Herbert P. Broida—1383

Thickness of shock fronts in argon and nitrogen and rotational heat capacity lags, E. F. Greene, G. R. Cowan, and D. F. Hornig—427

Equation of State

Cluster integrals and the Thiele semi-invariants, Syû Ono—504(L)

Compressibilities of concentrated metal ammonia solutions, Robert H. Maybury and Lowell V. Coulter—1326(L)

Compressibility of gaseous xenon. I. An equation of state for xenon and the weight of a liter of xenon, James A. Beattie, Roland J. Barriault, and James S. Brierley—1219

Compressibility of gaseous xenon. II. The virial coefficients and potential parameters of xenon, James A. Beattie, Roland J. Barriault, and James S. Brierley—1222

Compressibility of gases at pressures up to 50 atmospheres. V. Carbon tetrafluoride in the temperature range 0°–400°C. VI. Sulfur hexafluoride in the temperature range 0°–250°C, K. E. MacCormack and W. G. Schneider—845

Contribution to the theory of critical phenomena, Bruno H. Zimm—1019

Critical constants of polar gases, J. S. Rowlinson—831

Critical phenomena in the cyclohexane-aniline system, Robert W. Rowden and O. K. Rice—1423(L)

Equation of state for liquids, Frank Maslan and Etienne Aberth—658(L)

Free volume for rigid sphere molecules, R. J. Buehler, R. H. Wentorf, Jr., J. O. Hirschfelder, and C. F. Curtiss—61

Intermolecular potentials. I. Carbon tetrafluoride and sulfur hexafluoride. II. Carbon dioxide, K. E. MacCormack and W. G. Schneider—849

Low temperature second virial coefficients for a 6-12 potential, Leo F. Epstein and Glenn M. Roe—1320(L)

Note on the theory of critical phenomena, Joseph E. Mayer—1024

On the latent heat of fusion and the hole theory, N. R. Mukherjee—502(L); Erratum—1216(L)

Point of condensation and the volume dependence of cluster integrals, Shigetoshi Katsura and Hisaki Fujita—795(L)

Prediction of isothermal compressibilities by light scattering, L. G. Blosser and H. G. Drickamer—1244

Reduced equation of state for gases and liquids, Sidney W. Benson and Robert A. Golding—1413

Superposition approximation in statistical mechanics of compressed gases, R. W. Hart, R. Wallis, and L. Pode—139(L)

Theory of cooperative phenomena. II. Equation of states for classical statistics, Ryoichi Kikuchi—1230

Thermodynamics of the critical point, W. G. Schneider and A. Chynoweth—1607(L)

Third virial coefficients of polar gases, J. S. Rowlinson—827

Vapor pressure and critical constants of neopentane, James A. Beattie, Donald F. Douslin, and Samuel W. Levine—948

Flames

Gaseous detonation. I. Initiation of detonation, A. J. Mooradian and W. E. Gordon—1166

Investigation of turbulent flames, Béla Karlovitz, D. W. Denniston, Jr., and F. E. Wells—541

Isotope effect in hydrocarbon flame spectra, George M. Murphy and L. Schoen—380(L)

Kinetics of OH radicals from flame emission spectra. III. Total transition probabilities and the energetic distribution of $OH(^2\Sigma^+)$ and $O_2(^3\Sigma_u^-)$ in the oxy-hydrogen flame, Kurt E. Shuler—888

Rotational temperatures of OH in methane-air flames, Herbert P. Broida—1383

Two-path method for measuring flame temperatures and concentrations in low pressure combustion chambers, S. S. Penner—272; Errata—1434(L)

Vibrational structure of the hydrocarbon flame bands, George M. Murphy and L. Schoen—1214(L)

Fluorescence

Absolute theory of solid-state luminescence, Ferd E. Williams—457

Cathode luminescence of crystalline quartz, D. D. Saksena and L. M. Pant—134(L)

Color centers in glass, R. K. Sheline, D. E. Sharp, and W. J. Arner—1422(L)

Directional properties of single crystal of anthracene regarding fluorescence phenomena, S. C. Ganguly and N. K. Chaudhuri—617

Fluorescence of acetone vapor, G. W. Luckey and W. Albert Noyes, Jr.—227

Luminescence of zinc tantalo-niobate with manganese activator, Simon Larach—1318(L)

Relations between dye phosphors and hydrogen bonds of rigid media or surface of adsorbents, Daijiro Yamamoto and Ryojiro Iwaki—662(L)

Role of chlorine in the luminescence of ZnS:Cu phosphors, Richard H. Buge—985(L)

Scintillations in the diphenylpolyenes and related compounds, W. S. Koski and C. O. Thomas—1286

Vibrational analysis of the fluorescence spectrum of formaldehyde, J. C. D. Brand—377(L)

Free Rotation (see **Rotation**)

Glasses

Color centers in glass, R. K. Sheline, D. E. Sharp, and W. J. Arner—1422(L)

Infrared spectra of rapidly solidified vapors, F. E. Malherbe and H. J. Bernstein—1607(L)

Heat Capacity (see **Thermodynamic Properties**)

Heat Conductivity

On the thermal conductivity of liquids and polymers and its relation to the pressure coefficient of viscosity, A. Bondi—128(L)

High Pressures

Dielectric constant of ethylene at high pressures, H. G. David, S. D. Hamann, and J. F. Pearse—1490

Diffusion in CO_2 up to 150 atmospheres pressure, W. L. Robb and H. G. Drickamer—1504

Hindered Rotation (see **Rotation**)

Hydrodynamics

Statistical mechanical theory of transport processes. V. Quantum hydrodynamics, J. H. Irving and Robert W. Zwanzig—1173

Thermodynamics and chemical kinetics of one-dimensional nonviscous flow through a Laval nozzle, S. S. Penner—877

Infrared Spectra (see **Absorption Spectra**)

Intensities of Spectra

Experimental determination of the intensities of infrared absorption bands. IV. Measurements of the stretching vibrations of OCS and CS_2, David Z. Robinson—881

Integrated absorption of the fundamental of CO from measurements using self-broadening of rotational lines, D. Weber and S. S. Penner—974(L)

Intensities of bands due to free and bonded hydroxyl groups in the 3 micron region, S. A. Francis—505(L)

Intensities of several of the infra-red absorption bands of cyanogen and cyanogen chloride, erratum, Eugene R. Nixon and Paul C. Cross—1067(L)

Intensities of some characteristic infrared bands of ketones and esters, S. A. Francis—942

Methyl fluoroform from 19μ to 0.7μ, erratum, R. D. Cowan, G. Herzberg, and S. P. Sinha—794(L)

Intensities of Spectra (continued)
Quantitative infrared intensity measurements. I. Carbon monoxide pressurized with infrared-inactive gases, S. S. Penner and D. Weber—807
Quantitative infrared intensity measurements. II. Studies on the first overtone of unpressurized CO, S. S. Penner and D. Weber—817
Spectroscopic moment: a parameter of substituent groups determining aromatic ultraviolet intensities, John R. Platt—263
Theoretical calculation of transition probabilities, Harrison Shull and Frank O. Ellison—1610(L)
Vibrational intensities. III. Carbon dioxide and nitrous oxide, David F. Eggers, Jr., and Bryce L. Crawford, Jr.—1554

Ionization Potentials
Empirical relations involving ionization potentials, J. P. Teegan and A. D. Walsh—1070(L)
Ionization potential of allyl radical, M. G. Evans and M. Szwarc—1322(L)
Ionization potentials of the deuterated methanes, F. P. Lossing, A. W. Tickner, and W. A. Bryce—1254

Isotopes
Carbon-14 isotope effect in an inorganic equilibrium, D. R. Stranks and G. M. Harris—257(L)
Carrier-free radioisotopes from cyclotron targets. XIV. Preparation and isolation of $Bi^{204, 206}$ from lead, Jeanne D. Gile, Warren M. Garrison, and Joseph G. Hamilton—256(L)
Carrier-free radioisotopes from cyclotron targets. XV. Preparation and isolation of Mn^{52} from chromium, Herman R. Haymond, Warren M. Garrison, and Joseph G. Hamilton—382(L)
Carrier-free radioisotopes from cyclotron targets. XVI. Preparation and isolation of Pd^{103} from rhodium, Jeanne D. Gile, Herman R. Haymond, Warren M. Garrison, and Joseph G. Hamilton—660(L)
Critical constants, boiling points, triple point constants, and vapor pressures of the six isotopic hydrogen molecules, based on a simple mass relationship, Abraham Solomon Friedman, David White, and Herrick L. Johnston—126
Determination of an isotope effect in the decarboxylation of malonic-*l*-C^{14} acid, Arthur Roe and Max Hellmann—660(L)
Determination of isotope ratios, e.g., in tracer work, by an infrared absorption method, J. M. W. Milatz, J. C. Kluyver, and J. Hardebol—887
Exchange between N_2^{30} and N_2^{28} over iron catalysts, J. T. Kummer and P. H. Emmett—289
Fractionation of the carbon isotopes in decarboxylation reactions. III. The relative rates of decomposition of carboxyl-C^{12} and -C^{13} mesitoic acids, Aksel A. Bothner-By and Jacob Bigeleisen—755
Fractionation of the carbon isotopes in decarboxylation reactions. IV. The relative rates of decomposition of *l*−C^{12} and *l*−C^{13} trichloracetate ions, Jacob Bigeleisen and Thomas L. Allen—760
Intramolecular isotopic fractionation—the example of nitrous oxide, J. M. McCrea—48
Isotope effect in the band spectrum of HNO_2, George Porter—1278
Isotope effect on dissociation probabilities in the mass spectra of chloroform and chloroform-*d*, Vernon H. Dibeler and Richard B. Bernstein—404
Isotope effect in hydrocarbon flame spectra, George M. Murphy and L. Schoen—380(L)
Isotope effect in the oxidation of carboxyl-C^{14} acetic acid, E. A. Evans and John L. Huston—1214(L)
Isotopic exchange between metal ions of different valency, Joseph Weiss—1066(L)
Isotopic exchange rates as criteria of surface heterogeneity, R. P. Eischens—377(L)
Kinetics of the ammonia-deuterium exchange by a microwave method, Joseph Weber and Keith J. Laidler—381(L)
Kinetics of the exchange reaction between diborane and deuterium, P. Calvin Maybury and W. S. Koski—1327(L)
Note on the hydrogen-deuterium isotope effect in crystals, Christer E. Nordman and William N. Lipscomb—1422(L)
Preparation of carrier-free manganese 52, John T. Byrne—504(L)
Preparation of Zn^{65} of high specific activity from copper bombarded with 16-Mev deuterons, C. J. Maletskos, E. W. Backofen, and John W. Irvine, Jr.—796(L)
Relative rates of reaction of hydrogen and tritium hydride with chlorine, W. M. Jones—78

Kinetics of Reaction
Acid decomposition of sodium thiosulfate, Milton Kerker—1324(L)
Bromination of hydrocarbons. III. Photo-bromination of toluene, E. W. Swegler, H. A. Scheraga, and E. R. Van Artsdalen—135(L)
Bromination of hydrocarbons. IV. Photochemical and thermal bromination of neopentane in the gas phase. The C−H bond strength in neopentane, Ellis I. Hormats and Ervin R. Van Artsdalen—778
Bromination of hydrocarbons. V. Neopentane and hydrogen chain lengths. Efficiency of neopentane as a third body, Francis E. Schweitzer and Ervin R. Van Artsdalen—1028
Concerning the steric factor of free radical reactions, Robert Gomer and Leon M. Dorfman—136(L)
Decomposition of excited ethylene, B. deB. Darwent—258(L)
Decomposition of hydrogen peroxide by high energy x-rays, Everett R. Johnson—1204(L)
Decomposition of radicals produced by mercury photosensitization, A. F. Trotman-Dickenson—261(L)
Determination of an isotope effect in the decarboxylation of malonic-*l*-C^{14} acid, Arthur Roe and Max Hellmann—660(L)
Direct observation of the rate of recombination of iodine atoms, Norman Davidson, Royal Marshall, A. E. Larsh, Jr., and Tucker Carrington—1311(L)
Effects of added chlorides on the absorption spectra of cobaltous chloride in water and in formamide, Lyle R. Dawson and Julian H. Chaudet—771
Effect of organic substances on the γ-ray oxidation of ferrous sulfate, H. A. Dewhurst—1329(L)
Effect of temperature on the photolysis of methylamine, Clarence I. Johnson and H. Austin Taylor—613
Effect of ultrasonic radiation on the electrolytic separation of deuterium, Donald F. Mason, Royce E. Biddick, and Charles A. Boyd—1551
Exchange between N_2^{30} and N_2^{28} over iron catalysts, J. T. Kummer and P. H. Emmett—289
Exchange of water between hydrated cations and solvent, John P. Hunt and Henry Taube—602
Fischer-Tropsch reaction mechanism involving stepwise growth of carbon chain, R. B. Anderson, R. A. Friedel, and H. H. Storch—313
Fractionation of the carbon isotopes in decarboxylation reactions. III. The relative rates of decomposition of carboxyl-C^{12} and -C^{13} mesitoic acids, Aksel A. Bothner-By and Jacob Bigeleisen—755

Fractionation of the carbon isotopes in decarboxylation reactions. IV. The relative rates of decomposition of $l-C^{12}$ and $l-C^{13}$ trichloracetate ions, Jacob Bigeleisen and Thomas L. Allen—760
Gaseous detonation. I. Initiation of detonation, A. J. Mooradian and W. E. Gordon—1166
Hydrogen-oxygen reaction at the second explosion limit, Herbert P. Broida—790(L)
Interpretation of the data on the thermal decomposition of nitrous oxide, Harold S. Johnston—663
Isotope effect in the oxidation of carboxyl-C^{14} acetic acid, E. A. Evans and John L. Houston—1214(L)
Isotopic exchange between metal ions of different valency, Joseph Weiss—1066(L)
Isotopic exchange rates as criteria of surface heterogeneity, R. P. Eischens—377(L)
Kinetics of the ammonia-deuterium exchange by a microwave method, Joseph Weber and Keith J. Laidler—381(L)
Kinetics of the exchange reaction between diborane and deuterium, P. Calvin Maybury and W. S. Koski—1327(L)
Kinetics of the forward and reverse reactions for the vapor phase thermal bromination of chloroform, John H. Sullivan and Norman Davidson—143
Kinetics of gas adsorption as a method of area determination, George Jura and Richard E. Powell—251(L)
Kinetics of OH radicals from flame emission spectra. III. Total transition probabilities and the energetic distribution of $OH(^2\Sigma^+)$ and $O_2(^3\Sigma_u^-)$ in the oxy-hydrogen flame, Kurt E. Shuler—888
Kinetics of the rapid gas phase reaction between NO, NO_2, and H_2O, Lowell G. Wayne and Don M. Yost—41
Kinetics of the thermal decomposition of di-*t*-butyl peroxide, J. Murawski, J. S. Roberts, and M. Szwarc—698
Liesegang ring formation arising from diffusion of ammonia and hydrogen chlorine gases through air, Ellen L. Spotz and Joseph O. Hirschfelder—1215(L)
Mechanism of formation of nitric oxide in glow discharges, R. W. Nicholls—250(L)
Methyl radical induced polymerization of gaseous butadiene, David H. Volman—668
Microwave spectroscopic investigation of the kinetics of the heterogeneous ammonia-deuterium exchange, J. Weber and Keith J. Laidler—1089
Note on the temperature-independent factors of elementary reactions, E. W. R. Steacie and M. Szwarc—1309
Nucleation in very rapid vapor expansions, Arthur Kantrowitz—1097
Oxidation kinetics of nickel and cobalt, Walter J. Moore and James K. Lee—255(L)
Photochemical studies. XLVI. Photosensitization by benzene and pyridine vapors, Jean T. Dubois and W. Albert Noyes, Jr.—1512
Photoelectric observation of the rate of dissociation of N_2O_4 by a shock wave, Tucker Carrington and Norman Davidson—1313(L)
Photolysis of acetic anhydride, Richard J. Kandel and H. Austin Taylor—1250
Preparation and reactions of free vinyl radicals, A. W. Tickner and D. J. LeRoy—1247
Pyrolysis of iso-propyl bromide, Allan Maccoll and P. T. Thomas—977(L)
Rapid gas phase reaction between nitric oxide and ozone, Harold S. Johnston and Harvey J. Crosby—799(L)
Rate constant of ethane formation form methyl radicals, Robert Gomer and G. B. Kistiakowsky—85
Rate equation of ammonia-synthesis on iron-type catalysts of different composition, R. Brill—1047
Reaction sites in a field of stationary ultrasonic waves, Olle Lindström—1613(L)
Reactions of methyl radicals. II. The abstraction of hydrogen atoms from paraffins, A. F. Trotman-Dickenson, J. R. Birchard, and E. W. R. Steacie—163
Reactions of methyl radicals. III. The abstraction of hydrogen atoms from olefins, A. F. Trotman-Dickenson and E. W. R. Steacie—169
Reactions of methyl radicals. IV. The abstraction of hydrogen atoms from cyclic hydrocarbons, butynes, amines, alcohols, ethers, and ammonia, A. F. Trotman-Dickenson and E. W. R. Steacie—329
Reactions of radicals produced by the action of sodium on alkyl iodides, A. A. Comstock and G. K. Rollefson—441
Recombination of methyl radicals, D. M. Miller and E. W. R. Steacie—73
Relative rates of reaction of hydrogen and tritium hydride with chlorine, W. M. Jones—78
Remarks on the calculating rates of some radical reactions, M. Szwarc—256(L)
Reply to a letter to the editor entitled, "Concerning the steric factor of free radical reactions" by Gomer and Dorfman, Michael Szwarc—380(L)
Role of oxide composition in oxidation of nickel and cobalt, Robert L. Tichenor—796(L)
Significance of the frequency factor in unimolecular reactions, Sidney W. Benson—802(L)
Substituted stilbenes. II. Thermal isomerization, Melvin Calvin and H. Ward Alter—768
Thermal decomposition of nitromethane, L. J. Hillenbrand, Jr., and Mary L. Kilpatrick—381(L)
Thermal hydrogen-oxygen reaction at relatively low temperatures, H. P. Broida and O. Oldenberg—196
Thermodynamics and chemical kinetics of one-dimensional nonviscous flow through a Laval nozzle, S. S. Penner—877
Ultraviolet absorption spectra of gaseous diazomethane and diazoethane. Evidence for the existence of ethylidine radicals in diazoethane photolysis, R. K. Brinton and D. H. Volman—1394
Vapor phase photolysis of formaldehyde at wavelength 3130A, J. G. Calvert and E. W. R. Steacie—176
Wall reactions and diffusion in static and flow systems, Robert Gomer—284
Mercury Photo-Sensitized Reactions
Decomposition of methyl chloride, C. R. Masson and E. W. R. Steacie—183
Decomposition of normal and iso-butane at high temperatures, S. Bywater and E. W. R. Steacie—172
Decomposition of propane at high temperatures, S. Bywater and E. W. R. Steacie—319
Of ethane at high temperatures, S. Bywater and E. W. R. Steacie—326
Reaction of methylcyclopentane with Hg $6(^3P_1)$ atoms M. Schlochauer and H. E. Gunning—474

Large Molecules (see **Polymers**)
Light Scattering
Effect of a gaussian distribution on flow birefringence, Harold A. Scheraga—983(L)
Effect of gegen ions on the light scattering by solutions of colloidal electrolytes, Todd M. Doscher and Karol J. Mysels—254(L)
Effect of small refractive index differences between solution and solvent on light scattering, P. Debye and W. M. Cashin—510(L)
Expressions for turbidities, E. Bueche, P. Debye, and W. M. Cashin—803(L)
Light scattering studies on coiling polyelectrolytes, F. T. Wall, J. W. Drenan, M. R. Hatfield, and C. L. Painter—585

Light Scattering (continued)
On the polarization of Rayleigh scattering as an aid to determine molecular configuration in liquids, D. H. Rank—511(L)
Polarization of Rayleigh scattering as an aid to the determination of molecular orientation in solids, E. G. Cox—1325(L)
Prediction of isothermal compressibilities by light scattering, L. G. Blosser and H. G. Drickamer—1244

Liquids
Atomic distribution function, Richard H. Kerr and Louis H. Lund—50
Contribution of thermal conductivity to the ultrasonic absorption coefficient in liquefied gases, Robert T. Beyer —788
Dielectric constant of water and the saturation effect, F. Booth—391; Errata—1327(L)
Elastic relaxation and structure of liquids. I. Ultrasonic absorption in some halogenated methylenes, ethanes, and ethylenes, Daniele Sette—1337
Electron diffraction by transmission through thin liquid films, Carroll W. Lufcy, Felix S. Palubinskas, and Louis R. Maxwell—217
Entropies of melting of metals, R. A. Oriani—93
Equation of state for liquids, Frank Maslan and Etienne Aberth—658(L)
Free volume for rigid sphere molecules, R. J. Buehler, R. H. Wentorf, Jr., J. O. Hirschfelder, and C. F. Curtiss—61
Kinetics of OH radicals from flame emission spectra. I., Erratum, K. E. Shuler—139(L)
Lattice theories of the liquid state, J. S. Rowlinson and C. F. Curtiss—1519
Limiting negative pressure of acetic acid, benzene, aniline, carbon tetrachloride, and chloroform, Lyman J. Briggs—970
On the elastic relaxation in carbon disulfide: the temperature dependence of the ultrasonic absorption coefficient, Daniele Sette—1342
On the distribution function in phase space, with application to the statistical theory of liquids, Ernest Ikenberry—467
On the propagation of ultrasonic waves in acetic acid, E. Freedman—1318(L)
On the thermal conductivity of liquids and polymers and its relation to the pressure coefficient of viscosity, A. Bondi—128(L)
On the polarization of Rayleigh scattering as an aid to determine molecular configuration in liquids, D. H. Rank—511(L)
Temperature dependent magnetic shielding in ethyl alcohol, Urner Liddel and Norman F. Ramsey—1608(L)
Tensile strength of benzene, J. J. Donoghue, R. E. Vollrath, and E. Gerjuoy—55
Ultrasonic propagation in binary liquid systems near their critical solution temperature, A. G. Chynoweth and W. G. Schneider—1566

Magnetic Resonance
Chemical effects on nuclear induction signals from organic compounds, J. T. Arnold, S. S. Dharmatti, and M. E. Packard—507(L)
Dielectric constant and loss of factor of ethyl alcohol and water at $\lambda = 3.24$ cm obtained by free wave method, Masai Yasumi, Hideo Okabayashi, Michio Shirai, and San-ichiro Mizushima—978(L)
Interpretation of nuclear quadrupole couplings in molecules, Walter Gordy—792(L)
Nuclear magnetic parameter related to electron distribution in molecules, H. S. Gutowsky, D. W. McCall, B. R. McGarvey, and L. H. Meyer—1328(L)
Nuclear magnetic shielding in fluorine and hydrogen compounds, H. S. Gutowsky and C. J. Hoffman—1259
Nuclear spin relaxation studies in dilute sodium-liquid ammonia solutions, R. Newman and R. A. Ogg, Jr.—214
On the hyperfine structure of the rotational spectra of XYZ_3-type molecule, where nuclei Z have electric quadrupole moments, Masataka Mizushima and Takashi Ito—739
Paramagnetic resonance absorption of microwaves, Forrest W. Lancaster and Walter Gordy—1181
Paramagnetic resonance absorption in organic free radicals, A. N. Holden, A. W. Yager, and F. R. Merritt—1319(L)
Possible relation between the nuclear relaxation time, T_2, and molecular structure, C. S. Clay, R. S. Bradford, and Ellis Strick—1429(L)
Proton magnetic resonance absorption in hydrogen perchlorate monohydrate and the structure of oxonium ion, Yoshinobu Kakiuchi, Hisao Shono, Hachiro Komatsu, and Kunihiko Kigoshi—1069(L)
Pure quadrupole spectrum of solid chlorine, Ralph Livingston—803(L)
Temperature dependent magnetic shielding in ethyl alcohol, Urner Liddel and Norman F. Ramsey—1608(L)
Variations in absolute chemical shift of nuclear induction signals of hydroxyl groups of methyl and ethyl alcohol, J. T. Arnold and M. E. Packard—1608(L)

Magnetic Susceptibilities
Critical field curve in an antiferromagnetic crystal, C. G. B. Garrett—1154
Magnetic study of some hydrates of boron compounds, Mata Prasad, C. R. Kanekar, and L. S. Kamat—686
Magnetic study of some inorganic compounds of arsenic, antimony, and bismuth, Mata Prasad, C. R. Kanekar, and L. N. Mulay—1440
Magnetic study of some organo-metallic compounds of arsenic, Mata Prasad and L. N. Mulay—1051
Magnetic susceptibilities of praseodymium oxides, Sherman W. Rabideau—874
Magnetic susceptibility of uranium tetrachloride, R. Stoenner and N. Elliott—950
Thermomagnetic investigations of promoted and unpromoted iron oxide and iron catalysts, Louis R. Maxwell, J. Samuel Smart, and Stephen Brunauer—303

Mass Spectra
High resolution mass spectrometry, E. Berry and S. M. Rock—1208(L)
Infrared and mass spectra of some deuterium-containing derivatives of propane, Francis E. Condon, H. L. McMurry, and V. Thornton—1010
Isotope effect on dissociation probabilities in the mass spectra of chloroform and chloroform-*d*, Vernon H. Dibeler and Richard B. Bernstein—404
Mass spectra of C_1—C_4 monodeutero paraffins, D. P. Stevenson and C. D. Wagner—11
Mass spectrometer resolution of ion pairs of similar m/e, Duane V. Kniebes and Sidney Katz—654(L)
New calculation of the latent heat of sublimation of carbon and the first C—H dissociation energy in methylene from electron impact data, F. H. Field—793(L)

Mass Spectra
On the mass spectra of propanes and butanes containing C^{13}, D. P. Stevenson—17
Parent peak intensities as a basis for estimating purities of deuterium substituted compounds, H. W. Rollmann and H. L. McMurry—804(L)
Studies of ionization efficiency. I. The determination of molecular appearance potentials using the mass spectrometer, J. D. Morrison—1305

Mechanics, Classical
Determination of normal coordinates, Bryce L. Crawford, Jr. and William H. Fletcher—141(L)

I. Normal frequencies of a one-dimensional crystal. II. An approximation to the lattice frequency distribution in isotropic solids, J. O. Halford—1375
Out-of-plane hydrogen vibrations in triborine triamine, Robert A. Spurr and Shih-Chuan Chang—518(L)
Parallel vibrations of linear triatomic molecules, W. J. Orville Thomas—1162
Unimerism, James K. Senior—865
Mechanics, Quantum
Absolute theory of solid-state luminescence, Ferd E. Williams—457
Application of a modified quantum-mechanical cellular method to the hydrogen molecule, Victor A. Lewinson and George E. Kimball—690
Averaged field calculation of the polarity of the carbon-hydrogen bond, Charles R. Mueller and Henry Eyring—193
Binding energy and dipole moment of alkali halide molecules, Edmund S. Rittner—1030
Binding regions in diatomic molecules, Theodore Berlin—208
Bond-bond interactions in linear and angular molecules, Jules Duchesne and Louis Burnelle—1191
Bonding of trihalide and bifluoride ions by the molecular orbital method, George C. Pimentel—446
Calculation of coefficients of coulomb and exchange integrals in matrix elements involving polar singlet structures, Massimo Simonetta and Verner Schomaker—649
Calculation of electric dipole moments of some heterocyclics, Per-Olov Löwdin—1323(L)
Charge densities in conjugated systems, R. McWeeny—1614(L)
Concerning cyclic polyenes, John F. Tinker—981(L)
Contributions to the theoretical treatment of ammonium. II., Errata, J. I. Horvath—978(L)
Directed valence in As_4 and P_4, Mitsuo Mashima—1216(L)
Discrete energy levels associated with the Lennard-Jones potential, John E. Kilpatrick and Myra F. Kilpatrick—930
Effect of variation of Z upon the theoretically computed energy levels of benzene, Harrison Shull and Frank O. Ellison—1215(L)
Experimental determination of even-odd character of excited electronic states of molecules with a center of symmetry, John R. Platt—1418
General valence orbitals derivable by sp_3 hybridization, P. Torkington—528
Hexacovalent bond orbitals. IV., George H. Duffey—92
Hydrogen molecule energy calculation by correlated molecular orbitals, Arthur A. Frost and Jerry Braunstein—1133
Interpretation of nuclear quadrupole couplings in molecules, Walter Gordy—792(L)
Irreducible representations of cubic groups, Frank Matossi—1612(L)
Isoconjugate spectra and variconjugate sequences, John R. Platt—101
Kinetic energy matrix elements for linear molecules, Salvador M. Ferigle and Arnold G. Meister—982(L)
Lack of resonance energy in gaseous carbonium ions, J. L. Franklin and H. E. Lumpkin—1073(L)
LCAO molecular orbital computation of resonance energies of benzene and butadiene, with general analysis of theoretical *versus* thermochemical resonance energies, Robert S. Mulliken and Robert G. Parr—1271
LCAO molecular orbital schemes and theoretical resonance energies, Robert G. Parr—799(L)
LCAO self-consistent field calculation of the ground state of carbon dioxide, Joseph F. Mulligan—347
LCAO self-consistent field calculation of the twisting frequency and π-electron energy levels of allene, Robert G. Parr and G. Russell Taylor—497
Lewis acids and bases and molecular complexes, R. S. Mulliken—514(L)
Lower excited states of carbon dioxide, Joseph F. Mulligan—1428(L)
Mobile electron model for aromatic molecules, Klaus Rüdenberg and Robert G. Parr—1268
Molecular orbital calculations for H_3, J. M. Walsh and F. A. Matsen—526
Molecular quadrupole moments of N_2 and O_2, Charles Greenhow and William V. Smith—1298
Nature of the scale factor occurring in the quantum-mechanical treatment of systems by the variational method, P. Torkington—979(L)
Note on orthogonal atomic orbitals, J. C. Slater—220
Note on the quantum-mechanical perturbation theory, Per-Olov Löwdin—1396
Nuclear magnetic parameter related to electron distribution in molecules, H. S. Gutowsky, D. W. McCall, B. R. McGarvey, and L. H. Meyer—1328(L)
On the quantum-mechanical calculation of the cohesive energy of molecules and crystals. Part I. A general energy formula for the ground state, Per-Olov Löwdin—1570
On the quantum-mechanical calculation of the cohesive energy of molecules and crystals. Part II. Treatment of the alkali metals with numerical applications to sodium, Per-Olov Löwdin—1579
On the three- and four-center integrals in molecular quantum mechanics, Klaus Rüdenberg—1433(L)
Orbital perturbation effects in beta-decay, H. M. Schwartz and R. R. Edwards—385(L)
Orthonormal sets of LCAO molecular orbitals for second-row homopolar diatomic molecules, Robert S. Mulliken—912
Oscillator strength of H_2^+, $1s\sigma - 2p\sigma$, David R. Bates—1122
Outer electron configuration in metallic copper, A. I. Snow—1124
Overlap average and central field approximations, Charles R. Mueller and Henry Eyring—934
Overlap and bonding power of $2s$, $2p$-hybrid orbitals, Robert S. Mulliken—900
Pure quadrupole spectra: the substituted methanes, Ralph Livingston—1434(L)
Pure quadrupole spectrum of solid vinyl chloride, J. H. Goldstein and Ralph Livingston—1613(L)
Quantum mechanics of assemblies of interacting particles, H. S. Green—955
Role of hybridization and resonance in molecular structure, Jules Duchesne—246
Seemingly forbidden octacovalent structure, George H. Duffey—963
Semi-localized orbitals. I. The hydrogen molecule, Charles R. Mueller and Henry Eyring—1495
Semi-localized orbitals. II. A comparison of atomic, molecular and semilocalized orbital method for diatomic hydrogen fluoride, Charles R. Mueller—1497
Solutions of the Fermi-Thomas-Dirac equation, N. Metropolis and J. R. Reitz—555
Stereochemistry of the imidazolidine ring, Ernst Fischer—395
Study of two-center integrals useful in calculations on molecular structure, I., C. C. J. Roothaan—1445
Study of two-center integrals useful in calculations on molecular structure. II. The two-center exchange integrals, Klaus Rüdenberg—1459
Sum rules for the vibration frequencies of isotopic molecules, J. C. Decius and E. Bright Wilson, Jr.—1409
Theoretical calculation of transition probabilities, Harrison Shull and Frank O. Ellison—1610(L)

Mechanics, Quantum (continued)
Theoretical treatment of the meta-orienting effect of some substituents in the benzene nucleus, F. L. J. Sixma—1209(L)
Triple-dipole interaction. I. Theory, B. M. Axilrod—719
Triple-dipole interaction. II. Cohesion in crystals of the rare gases, B. M. Axilrod—724
Tripyramidal bond orbitals, George H. Duffey—553
Mechanics, Statistical
Asymptotic expansion of the partition function of the asymmetric top, Kenneth F. Stripp and John G. Kirkwood—1131
Atomic distribution function, Richard H. Kerr and Louis H. Lund—50
Brownian motion in a gas of noninteracting molecules, Melville S. Green—1036
Cluster integrals and the Thiele semi-invariants, Syû Ono—504(L)
Configuration of real polymer chains, P. J. Flory—1315(L)
Configuration of real polymer chains, T. B. Grimley—1315(L)
Conformal solution theory and dipole interaction, J. A. Barker—1430(L)
Contribution to the theory of critical phenomena, Bruno H. Zimm—1019
Equation of state for liquids, Frank Maslan and Etienne Aberth—658(L)
Excluded volume effect in polymer chains. I, H. L. Frisch, F. C. Collins, and B. Friedman—1402
Free volume for rigid sphere molecules, R. J. Buehler, R. H. Wentord, Jr., J. O. Hirschfelder, and C. F. Curtiss—61
Interpretation of the vibration spectrum of mix-crystals, Frank Matossi—161
Intramolecular isotopic fractionation—the example of nitrous oxide, J. M. McCrea—48
Lattice theories of the liquid state, J. S. Rowlinson and C. F. Curtiss—1519
Liquid-vapor transition region and physical adsorption according to van der Waals' equation, Terrell L. Hill—261(L)
Low temperature second virial coefficients for a 6-12 potential, Leo F. Epstein and Glenn M. Roe—1320(L)
Mobile multilayer adsorption of a Bose-Einstein gas: helium, William Band—435
New viewpoint in computing crystal frequencies, W. A. Nierenberg—659(L)
I. Normal frequencies of a one-dimensional crystal. II. An approximation to the lattice frequency distribution in isothropic solids, J. O. Halford—1375
Note on frequency spectra of simple solids from specific heat data, E. Katz—488
Note on the paper "On the latent heat of fusion and the hole theory" by N. R. Mukherjee, A. K. Mukherjee—1431(L)
Note on surface tension and the theory of holes, Robert L. Choate and Louis H. Lund—1062(L)
Note on the theory of critical phenomena, Joseph E. Mayer—1024
On the distribution function in phase space, with application to the statistical theory of liquids, Ernest Ikenberry—467
On the latent heat of fusion and the hole theory, N. R. Mukherjee—502(L); Erratum—1216(L)
Partition functions of cubic lattices, E. Fisher—632
Point of condensation and the volume dependence of cluster integrals, Shigetoshi Katsura and Hisaki Fujita——795(L)
Quantum mechanics of assemblies of interacting particles, H. S. Green—955
Second-order transitions and critical points, P. J. Price—1281
Significance of the frequency factor in unimolecular reactions, Sidney W. Benson—802(L)
Statistical mechanical theory of solutions. I., John G. Kirkwood and Frank P. Buff—774
Statistical mechanical theory of transport processes. V. Quantum hydrodynamics, J. H. Irving and Robert W. Zwanzig—1173
Statistical theory of rubber-like elasticity. IV. (Two dimensional stretching), Akira Isihara, Natsuki Hashitsume, and Masao Tatibana—1508
Statistical thermodynamics of rubber elasticity, Frederick T. Wall and Paul J. Flory— 1435
Superposition approximation in statistical mechanics of compressed gases, R. W. Hart, R. Wallis, and L. Pode—139(L)
Theory of anisotropic colloidal solutions, Akira Ishihara—1142
Theory of cooperative phenomena. II. Equation of states for classical statistics, Ryoichi Kikuchi—1230
Theory of high polymer solutions (the dumbbell model), A. Isihara—397
Theory of the rotational phase transition in anisotropic molecular crystal, Takehiko Oguchi—1321(L)
Thickness of shock fronts in argon and nitrogen and rotational heat capacity lags, E. F. Greene, G. R. Cowan, and D. F. Hornig—427
Variation of atomic polarizabilities in molecular vibrations, Frank Matossi—1007
Visco-elastic properties of solutions of rod-like macromolecules, John G. Kirkwood and Peter L. Auer—281
Metals
On the quantum-mechanical calculation of the cohesive energy of molecules and crystals. Part II. Treatment of the alkali metals with numerical applications to sodium, Per-Olov Löwdin—1579
Outer electron configuration in metallic copper, A. I. Snow—1124
Oxidation kinetics of nickel and cobalt, Walter J. Moore and James K. Lee—255(L)
Studies on tellurium-selenium alloys, E. Grison—1109
Microwave (see **Absorption Spectra**)
Molecular Films (see **Surface Phenomena**)
Molecular Spectra (see **Absorption Spectra and Fluorescence**)
Molecular Structure and Constants
Acidity and the systems of acids and bases, Ricardo de Carvalho Ferreira—794(L)
Analysis of the 774 cm^{-1} (ν_6) absorption band of F_2CO, Alvin H. Nielsen—98
Averaged field calculation of the polarity of the carbon-hydrogen bond, Charles R. Mueller and Henry Eyring—193
Binding energy and dipole moment of alkali halide molecules, Edmund S. Rittner—1030
Bond-bond interactions in linear and angular molecules, Jules Duchesne and Louis Burnelle—1191
Bonding of trihalide and bifluoride ions by the molecular orbital method, George C. Pimentel—446
Bromination of hydrocarbons. IV. Photochemical and thermal bromination of neopentane in the gas phase. The C—H bond strength in neopentane, Ellis I. Hormats and Ervin R. Van Artsdalen—778
Calculation of the molecular diameters from Sutherland's constant, M. el Nadi—503(L)
Carbon-hydrogen stretching modes of trioxane, J. C. Decius, W. C. Steele, and R. G. Snyder—806(L)
Central force model for additive molecular properties, H. J. Bernstein—140(L)
Compressibility of gaseous xenon. II. The virial coefficients and potential parameters of xenon, James A. Beattie, Roland J. Barriault, and James S. Brierley—1222

Conformal solution theory and dipole interaction, J. A. Barker—1430(L)
Contact distances of ion pairs in the isomeric dichloroethanes, Kurt H. Stern, Frank Healey, Jr., and Arthur E. Martell—1114
Determination of the two-dipole moment components in nitrosyl fluoride, Dale W. Magnuson—1071(L)
Dipole moment and electric quadrupole effects in HNCO and HNCS, J. N. Shoolery, R. G. Shulman, and Don M. Yost—250(L)
Dipole moments and structures of a series of alkyl polysulfides, Carroll C. Woodrow, Marvin Carmack, and John G. Miller—951
Effects of added chlorides on the absorption spectra of cobaltous chloride in water and in formamide, Lyle R. Dawson and Julian H. Chaudet—771
Effect of halogenation on the C−Br bond dissociation energy in halogenated bromomethanes, M. Szwarc and A. H. Sehon—656(L)
Electric moments of polar polymers in relation to their structure, P. Debye and F. Bueche—589
Electronic energy levels of molecular crystals, Harvey Winston—156
Empirical relations involving ionization potentials, J. P. Teegan and A. D. Walsh—1070(L)
Energy difference between the two rotational isomers of propylene dichloride, Yonezo Morino, Ichiro Miyagawa, and Toshio Haga—791(L)
Entropy of crystalline benzene calculated from molecular data, Isâo Ichishima and San-ichiro Mizushima—388(L)
Estimated bond energies in carbon, nitrogen, oxygen, and hydrogen compounds, George Glockler—124
Exchange of water between hydrated cations and solvent, John F. Hunt and Henry Taube—602
Excited triplet states of some polyatomic molecules. I, Donald S. McClure—670
Fluorescence of acetone vapor, G. W. Luckey and W. Albert Noyes, Jr.—227
Force constants and calculated thermodynamic properties for SiF_4, Fred L. Voelz, Arnold G. Meister, and Forrest F. Cleveland—1084
Force constants, frequency assignments, and thermodynamic properties of ozone, Morton J. Klein, Forrest F. Cleveland, and Arnold G. Meister—1068(L)
Force fields of carbon and silicon tetrafluorides, J. W. Linnett and D. F. Heath—801(L)
Formation of complexes in benzene-oxalyl chloride solutions, B. D. Saksena and R. E. Kagarise—994
Fundamental vibrations and crystal structure of H_2S and D_2S, J. B. Lohman, F. P. Reding, and D. F. Hornig—252(L)
Heat of dissociation of fluorine, Russell N. Doescher—1070(L)
Hydrogen sulfide band at 1180 cm^{-1}, Harry C. Allen, Jr., and Paul C. Cross—140(L)
Influence of aromatic substitution on the C−Br bond dissociation energy, M. Szwarc, C. H. Leigh, and A. H. Sehon—657(L)
Infrared dispersion of acetylene and the dipole moment of the C−H bond, R. L. Kelly, R. Rollefson, and B. S. Schurin—1595
Infrared and Raman spectra of trimethylphospine oxide, L. W. Daasch and D. C. Smith—22
Infrared spectrum and the structure of gaseous nitrous acid, Llewellyn H. Jones, Richard M. Badger, and Gordon Moore—1599
Intermolecular forces in benzene and ammonia, erratum, Vernon Myers—505(L)
Intermolecular forces in methyl chloride, Vernon Myers and Ralph Peters, 804(L)
Intermolecular potentials. I. Carbon tetrafluoride and sulfur hexafluoride. II. Carbon dioxide, K. E. MacCormack and W. G. Schneider—849
Internal rotation in ethylene chlorhydrin, San-ichiro Mizushima, Takahiko Shimanouchi, Tatsuo Miyazawa, Koo Abe, and Masashi Yasumi—1477
Interpretation of intermolecular force parameters, S. D. Hamann—655(L)
Interpretation of nuclear quadrupole couplings in molecules, Walter Gordy—792(L)
Isoconjugate spectra and variconjugate sequences, John R. Platt—101
LCAO self-consistent field calculation of the twisting frequency and π-electron energy levels of allene, Robert G. Parr and G. Russell Taylor—497
Lewis acids and bases and molecular complexes, R. S. Mulliken—514(L)
Lower excited states of carbon dioxide, Joseph F. Mulligan—1428(L)
Microwave spectra and molecular structures of trifluorosilane derivatives, John Sheridan and Walter Gordy—965
Molecular constants of the ground state of the I_2 molecule, D. H. Rank and William M. Baldwin—1210(L)
Molecular quadrupole moments of N_2 and O_2, Charles Greenhow and William V. Smith—1298
New calculation of the latent heat of sublimation of carbon and the first C−H dissociation energy in methylene from electron impact data, F. H. Field—793(L)
Nuclear spin relaxation studies in dilute sodium-liquid ammonia solutions, R. Newman and R. A. Ogg, Jr.—214
On the size, shape, and hydration of southern bean mosaic virus and tobacco necrosis virus in solution, B. R. Leonard, Jr., J. W. Anderegg, Paul Kaesberg, S. Shulman, and W. W. Beeman—793(L)
Out-of-plane hydrogen vibrations in triborine triamine, Robert A. Spurr and Shih-Chuan Chang—518(L)
Parallel vibrations of linear triatomic molecules, W. J. Orville Thomas—1162
Possible existence of a symmetrial O···H···O hydrogen bond in nickel dimethylglyoxime, L. Edward Godycki, R. E. Rundle, Roger C. Voter, and Charles V. Banks—1205(L)
Possible relation between the nuclear relaxation time, T_2, and molecular structure, C. S. Clay, R. S. Bradford, and Ellis Strick—1429(L)
Proton magnetic resonance absorption in hydrogen perchlorate monohydrate and the structure of oxonium ion, Yoshinobu Kakiuchi, Hisao Shono, Hachiro Komatsu, and Kunihiko Kigoshi—1069(L)
Reactions of methyl radicals. II. The abstraction of hydrogen atoms from paraffins, A. F. Trotman-Dickenson, J. R. Birchard, and E. W. R. Steacie—163
Reactions of methyl radicals. III. The abstraction of hydrogen atoms from olefins, A. F. Trotman-Dickenson and E. W. R. Steacie—169
Remarks on the interpretation of the CH_2 vibrational frequencies of n-paraffins, Gordon M. Barrow—345
Rotation of n-butylic radical in crystalline state, Tautomu Oda, Kenza Sakata, and Seiichi Konde—1314(L)
Rotational isomerism in 2-methyl butane and 2:3-dimethyl butane, J. K. Brown and N. Shepard—976(L)
Rotation-vibration spectrum of methyl cyanide in the region 1.6μ–20μ, Putcha Venkateswarlu—293
Small-angle x-ray scattering from argon, Walter Graham and Louis H. Lund—1380
Solvent effects for the ultraviolet spectra of aromatic hydrocarbons, Robert Schnurmann and William Francis Maddams—1430(L)
Solvent induced frequency shifts for cata-condensed aromatics, Norman D. Coggeshall and Abbott Pozefsky—980(L)

Molecular Structure and Constants (continued)
Spectroscopic evidence of the dimerization of NO in the gaseous state, L. D'Or, A. de Lattre, and P. Tarte—1064(L)
Spectroscopic moment: A parameter of substituent groups determining aromatic ultraviolet intensities, John R. Platt—263
Stability of gaseous diatomic oxides, Leo Brewer and Donald F. Mastick—834
Stereochemistry of the imidazolidine ring, Ernst Fischer—395
Structure and dipole moment of isothiocyanic acid, erratum, C. I. Beard—975(L)
Structure and dipole moment of SO_2 from microwave spectra, George R. Crable and William V. Smith—502(L)
Structure of trifluoromethyl acetylene from the microwave spectrum and electron diffraction pattern, J. N. Shoolery, R. G. Shulman, William F. Sheehan, Jr., Verner Schomaker, and Don M. Yost—1364
Studies of ionization efficiency. I. The determination of molecular appearance potentials using the mass spectrometer, J. D. Morrison—1305
Substituted ethanes. III. Raman and infrared spectra, assignments, force constants, and calculated thermodynamic properties for 1,1,1-trichloroethane, M. Zaki El-Sabban, Arnold G. Meister, and Forrest F. Cleveland—855
Substituted methanes. V. Infrared spectra and calculated thermodynamic properties for some trichloromethanes, John R. Madigan and Forrest F. Cleveland—119
Substituted methanes. VI. Force constants and calculated thermodynamic properties for some trifluoromethanes, Charlotte E. Decker, Arnold G. Meister, and Forrest F. Cleveland—784
Substituted methanes. VII. Vibrational spectra, force constants, and calculated thermodynamic properties for CH_3I and CD_3I, Paul F. Fenlon, Forrest F. Cleveland, and Arnold G. Meister—1561
Transformation of water from covalent to electrovalent combination in formic acid-water mixtures, Tai-Yuan Yang—647
Use of punched cards in molecular structure determinations. IV. Approximations to the temperature factor, Morton E. Jones and Verner Schomaker—511(L)
Variations in absolute chemical shift of nuclear induction signals of hydroxyl groups of methyl and ethyl alcohol, J. T. Arnold and M. E. Packard—1608(L)
Variation of atomic polarizabilities in molecular vibrations, Frank Matossi—1007
Vibrational spectra of diborane and some of its isotopic derivatives, R. C. Lord and E. Nielsen—1
Vibrational spectra and structure of in organic molecules. II. Sulfur S_8, sulfur chloride S_2Cl_2, phosphorous P_4, H. J. Bernstein and J. Powling—139(L)
Vibration-rotation spectrum and structure of monochlorosilane, Andre Monfils—138(L)

Neutron Diffraction
The use of single crystal neutron diffraction data for crystal structure determination, S. W. Peterson and Henri A. Levy—1416

Nucleation
Comment on "Gas bubbles in solutions," Frank C. Roesler—512(L)
Critical limits of metastability in binary systems, Howard Reiss and Lawrence Friedman—253(L)
Effect of grinding on particles, Benjamin C. Bradshaw—1057
Growth of uniform colloidal dispersions, Howard Reiss—482
Limiting negative pressure of acetic acid, benzene, aniline, carbon tetrachloride, and chloroform, Lyman J. Briggs—970
Nucleation in very rapid vapor expansions, Arthur Kantrowitz—1097
On the stability of gas bubbles in liquid-gas solutions, Erratum, P. S. Epstein and M. S. Plesset—256(L)
Surface energy of small nuclei, G. C. Benson and R. Shuttleworth—130(L)
Surface tension of small droplets as a function of size from critical supersaturation data, G. M. Pound and V. K. LaMer—506(L)
Time lag in the self-nucleation of a supersaturated vapor, Ronald F. Probstein—619

Optical Activity
Effect of a gaussian distribution on flow birefringence, Harold A. Scheraga—983(L)
Near infrared pleochroism. II. The 0.8–2.5μ region of some linear polymers, L. Glatt and J. W. Ellis—449
Optical rotation of quartz in the infrared to 9.7μ, H. S. Gutowsky—438

Phase Transitions
Comment on "Gas bubbles in solutions," Frank C. Roesler—512(L)
Contribution to the theory of critical phenomena, Bruno H. Zimm—1019
Critical constants, boiling points, triple point constants, and vapor pressures of the six isotopic hydrogen molecules, based on a simple mass relationship, Abraham Solomon Friedman, David White, and Herrick L. Johnston—126
Critical constants of polar gases, J. S. Rowlinson—831
Critical limits of metastability in binary systems, Howard Reiss and Lawrence Friedman—253(L)
Critical phenomena in the cyclohexane-aniline system, Robert W. Rowden and O. K. Rice—1423(L)
Effect of pressure on the melting of several methyl siloxanes, P. W. Bridgman—203
Entropies of melting of metals, R. A. Oriani—93
Growth of uniform colloidal dispersion, Howard Reiss—482
Limiting negative pressure of acetic acid, benzene, aniline, carbon tetrachloride, and chloroform, Lyman J. Briggs—970
Liquid-vapor transition region and physical adsorption according to van der Waals' equation, Terrell L. Hill—261(L)
Note on the theory of critical phenomena, Joseph E. Mayer—1024
Nucleation in very rapid vapor expansions, Arthur Kantrowitz—1097
On the latent heat of fusion and the hole theory, N. R. Mukherjee—502(L)
Phase diagram of the BaO-TiO_2 system, W. O. Statton—33
Phase transition in bariumdicalcium-propionate, Syûzô Seki, Masanobu Momotani, and Kazumi Nakatsu—1061(L)
Point of condensation and the volume dependence of cluster integrals, Shigetoshi Katsura and Hisaki Fujita—795(L)
Second-order transitions and critical points, P. J. Price—1281
Surface energy of small nuclei, G. C. Benson and R. Shuttleworth—130(L)
Theory of the rotational phase transition in anisotropic molecular crystal, Takehiko Oguchi—1321(L)
Thermal analysis of the system $PbBr_2$–PbO, L. M. Knowles—1128
Thermodynamics of the critical point, W. G. Schneider and A. Chynoweth—1607(L)

Ultrasonic propagation in binary liquid systems near their critical solution temperature, A. G. Chynoweth and W. G. Schneider—1566
Vapor pressure and critical constants of neopentane, James A. Beattie, Donald F. Douslin, and Samuel W. Levine—948

Phosphors
Luminescence of zinc tantalio-niobate with manganese activator, Simon Larach—1318(L)
Relations between dye phosphors and hydrogen bonds of rigid media or surface of adsorbents, Daijiro Yamamoto and Ryojiro Iwaki—662(L)
Role of chlorine in the luminescence of ZnS:Cu phosphors, Richard H. Bube—985(L)
Scintillations in the diphenylpolyenes and related compounds, W. S. Koski and C. O. Thomas—1286

Photochemistry
Bromination of hydrocarbons. III. Photo-bromination of toluene, E. W. Swegler, H. A. Scheraga, and E. R. Van Artsdalen—135(L)
Bromination of hydrocarbons. IV. Photochemical and thermal bromination of neopentane in the gas phase. The C−H bond strength in neopentane, Ellis I. Hormats and Ervin R. Van Artsdalen—778
Decomposition of excited ethylene, B. deB. Darwent—258(L)
Decomposition of hydrogen peroxide by high energy x-rays, Everett R. Johnson—1204(L)
Decomposition of radicals produced by mercury photosensitization, A. F. Trotman-Dickenson—261(L)
Effect of temperature on the photolysis of methylamine, Clarence I. Johnson and H. Austin Taylor—613
Energy transfer in the photo-sensitization of silver halide photographic emulsions: optical sensitization, supersensitization, and antisensitization, W. West and B. H. Carroll—417
Influence of irradiation on the low frequency electrodeless discharge in chlorine, W. L. Harries and A. von Engel—514(L)
Mercury ($^3P_1$) photo-sensitized decomposition of propane at high temperatures, S. Bywater and E. W. R. Steacie—319
Mercury ($^3P_1$) photo-sensitized reaction of ethane at high temperatures, S. Bywater and E. W. R. Steacie—326
Mercury ($^3P_1$) sensitized decomposition of normal and isobutane at high temperatures, S. Bywater and E. W. R. Steacie—172
Optical absorption and photoconductivity of amorphous and hexagonal selenium, M. A. Gilleo—1291
Photochemical studies. XLVI. Photosensitization by benzene and pyridine vapors, Jean T. Dubois and W. Albert Noyes, Jr.—1512
Photoconductivity of some triphenylmethane dyes, R. C. Nelson—798(L)
Photolysis of acetic anhydride, Richard J. Kandel and H. Austin Taylor—1250
Recombination of methyl radicals, D. M. Miller and E. W. R. Steacie—73
Studies on the photovoltaic effect. II., Irvin Levin and Charles E. White—1079
Ultraviolet absorption spectra of gaseous diazomethane and diazoethane. Evidence for the existence of ethylidine radicals in diazoethane photolysis, R. K. Brinton and D. H. Volman—1394
Vapor phase photolysis of formaldehyde at wavelength 3130A, J. G. Calvert and E. W. R. Steacie—176

Polymers
Calculation of degree of crystallinity in polymers from density measurements, Fraser P. Price—973(L)
Concentration dependence of the viscosity of solutions of macromolecules, Jacob Riseman and Robert Ullman—578
Configuration of real polymer chains, P. J. Flory—1315(L)
Configuration of real polymer chains, T. B. Grimley—1315(L)
Dependence of the diffusion coefficient on concentration in dilute polymer solutions, Leo Mandelkern and P. J. Flory—984(L)
Diffusion of thoron atoms through photographic gelatin, G. G. Eichholz and F. C. Flack—363
Double refraction flow: numerical evaluation of extinction angle and birefringence as a function of velocity gradient, Harold A. Scheraga, John T. Edsall, and J. Orten Gadd, Jr.—1101
Electric moments of polar polymers in relation to their structure, P. Debye and F. Bueche—589
Excluded volume effect in polymer chains. I., H. L. Frisch, F. C. Collins, and B. Friedman—1402
Expressions for turbidities, E. Bueche, P. Debye, and W. M. Cashin—803(L)
Growth of uniform colloidal dispersions, Howard Reiss—482
Light scattering studies on coiling polyelectrolytes, F. T. Wall, J. W. Drenan, M. R. Hatfield, and C. L. Painter—585
Markoff chains and chain molecules, Keizo Suzuki—385(L)
Methyl radical induced polymerization of gaseous butadiene, David H. Volman—668
Near infrared pleochroism. II. The 0.8–2.5μ region of some linear polymers, L. Glatt and J. W. Ellis—449
On the theory of the high polymer solution, Hiroshi Ichimura—516(L)
On the thermal conductivity of liquids and polymers and its relation to the pressure coefficient of viscosity, A. Bondi—128(L)
Statistical theory of rubber-like elasticity. IV. (Two-dimensional stretching), Akira Isihara, Natsuki Hashitsume, and Masao Tatibana—1508
Statistical thermodynamics of rubber elasticity, Frederick T. Wall and Paul J. Flory—1435
Theory of high polymer solutions (The dumbbell model), A. Isihara—397
Visco-elastic properties of solutions of rod-like macromolecules, John G. Kirkwood and Peter L. Auer—281

Predissociation

Proteins

Quantum Mechanics (see **Mechanics, Quantum**)

Radio Chemistry
Adsorption of carbon dioxide on a nickel single crystal using a radioactive tracer, A. D. Crowell and H. E. Farnsworth—1206(L)
Carrier-free radioisotopes from cyclotron targets. XIX. Preparation and isolation of $Bi^{204, 206}$ from lead, Jeanne D. Gile, Warren M. Garrison, and Joseph G. Hamilton—256(L)
Carrier-free radioisotopes from cyclotron targets. XV. Preparation and isolation of Mn^{52} from chromium, Herman R. Haymond, Warren M. Garrison, and Joseph G. Hamilton—382(L)
Carrier-free radioisotopes from cyclotron targets. XVI. Preparation and isolation of Pd^{103} from rhodium, Jeanne D. Gile, Herman R. Haymond, Warren M. Garrison, and Joseph G. Hamilton—660(L)
Carrier-free radioisotopes from cyclotron targets. XVII. Preparation and isolation of Fe^{59} from cobalt, Jeanne D. Gile, Warren M. Garrison, and Joseph G. Hamilton—1217(L)
Carrier-free radioisotopes from cyclotron targets. XVIII. Preparation and isolation of Cr^{51} from vanadium, Jeanne D. Gile, Warren M. Garrison, and Joseph G. Hamilton—1217(L)

Radio Chemistry (continued)
Carrier-free radioisotopes from cyclotron targets. XIX. Preparation and isolation of $Pt^{191,193}$ from osmium, Jeanne D. Gile, Warren M. Garrison, and Joseph G. Hamilton—1426(L)
Carrier-free radioisotopes from cyclotron targets. XX. Preparation and isolation of $Ru^{97,103}$ from molybdenum, Jeanne D. Gile, Warren M. Garrison, and Joseph G. Hamilton—1426(L)
Carrier-free radioisotopes from cyclotron targets. XXI. Preparation and isolation of $Tl^{200,201,202}$ from mercury, Jeanne D. Gile, Warren M. Garrison, and Joseph G. Hamilton—1427(L)
Carrier-free radioisotopes from cyclotron targets. XXII. Preparation and isolation of Pb^{203} from thallium, Herman R. Haymond, Warren M. Garrison, and Joseph G. Hamilton—1427(L)
Carrier-free radioisotopes from cyclotron targets. XXIII. Preparation and isolation of $Rh^{100,101,102,105}$ from ruthenium, Jeanne D. Gile, Warren M. Garrison, and Joseph G. Hamilton—1428(L)
Diffusion of thoron atoms through photographic gelatin, G. G. Eichholz and F. C. Flack—363
Effect of organic substances on the γ-ray oxidation of ferrous sulfate, H. A. Dewhurst—1329(L)
Evidence of nuclear transmutation in the course of explosion of shaped charges with lined cavity, Zygmunt Fonberg—383(L)
Orbital perturbation effects in beta-decay, H. M. Schwartz and R. R. Edwards—385(L)
Photoneutron fission analysis for U-235 in high purity U-238, R. L. Macklin and J. H. Lykins—844
Preparation of carrier-free manganese 52, John T. Byrne—504(L)
Preparation of Zn^{65} of high specific activity from copper bombarded with 16-Mev deuterons, C. J. Maletskos, E. W. Backofen, and John W. Irvine, Jr.—796(L)
Radiotracer study of cationic surface-active agents by measurement of gegenion adsorption, Charles M. Judson, Ann A. Argyle, J. K. Dixon, and D. J. Salley—378(L); Errata—661(L)

Raman Spectra
Of allene-d_4, R. C. Lord and J. Ocampo—260(L)
Of diborane and some of its isotopic derivatives, R. C. Lord and E. Nielsen—1
Of hexamethylcyclotrisiloxane and octamethylcyclotetrasiloxane, Hiromu Murata—659(L)
Of methylbromosilanes, Hiromu Murata and Seiichi Hayashi—1217(L)
Of methylhydrazine and symmetrical dimethylhydrazine, D. W. E. Axford, G. J. Janz, and K. E. Russell—704
Of mixed crystals, interpretation, Henry J. Hrostowski and George C. Pimentel—661(L)
Of NO in condensed phase, A. Lee Smith, William E. Keller, and Herrick L. Johnston—189
Of several compounds containing phosphorus, T. J. Hanwick and P. O. Hoffmann—708
Of SiF_4, E. A. Jones, J. S. Kirby-Smith, P. J. H. Woltz, and A. H. Neilsen—242
Of substituted ethanes, M. Zaki El-Sabban, Arnold G. Meister, and Forrest F. Cleveland—855
Of trimethylphospine oxide, L. W. Daasch and D. C. Smith—22
Of vinylidene cyanide, M. L. Dannis and J. J. Shipman—381(L)
On the origin of low frequency Raman lines in organic crystals, S. C. Sirkar—256(L)

Reaction Rates (see **Kinetics of Reaction**)

Refractive Indices
The infrared dichroism of diketopiperazine, Takehiko Shimanouchi, Kenji Kuratani, and San-ichiro Mizushima—1479

Rotation
Analysis of the 774 cm^{-1} (ν_6) absorption band of F_2CO, Alvin H. Nielsen—98
Hydrogen sulfide band at 1180 cm^{-1}, Harry C. Allen, Jr., and Paul C. Cross—140(L)
Internal rotation in ethylene chlorhydrin, San-ichiro Mizushima, Takahiko Shimanouchi, Tatsuo Miyazawa, Koo Abe, and Masashi Yasumi—1477
Rotation-vibration spectrum of methyl cyanide in the region 1.6μ-20μ, Putcha Venkateswarlu—293

Rotational Isomerism
Energy difference between the two rotational isomers of propylene dichloride, Yonezo Morino, Ichiro Miyagawa, and Toshio Haga—791(L)
Rotational isomerism in hydrazine, E. L. Wagner and E. L. Bulgozdy—1210(L)
Rotational isomerism in 2-methyl butane and 2:3-dimethyl butane, J. K. Brown and N. Shepard—976(L)
Rotational isomerism in nitrous acid and alkyl-nitrites, L. D'Or and P. Tarte—1064(L)
Rotational isomerism in oxalyl chloride (ClOC – COCl), B. D. Saksena and R. E. Kagarise—987

Solutions (see also **Liquids**)
Compressibilities of concentrated metal ammonia solutions, Robert H. Maybury and Lowell V. Coulter—1326(L)
Concentration dependence of the viscosity of solutions of macromolecules, Jacob Riseman and Robert Ullman—578
Conformal solution theory and dipole interaction, J. A. Barker—1430(L)
Critical limits of metastability in binary systems, Howard Reiss and Lawrence Friedman—253(L)
Dependence of the diffusion coefficient on concentration in dilute polymer solutions, Leo Mandelkern and P. J. Flory—984(L)
Double refraction of flow: numerical evaluation of extinction angle and birefringence as a function of velocity gradient, Harold A. Scheraga, John T. Edsall, and J. Orten Gadd, Jr.—1101
Effect of a gaussian on flow birefringence, Harold A. Scheraga—983(L)
Effect of gegen ions on the light scattering by solutions of colloidal electrolytes, Todd M. Doscher and Karol J. Mysels—254(L)
Electrokinetic potentials of small particles by the sedimentation method, G. A. H. Elton—1317(L)
Formation of complexes in benzene-oxalyl chloride solutions, B. D. Saksena and R. E. Kagarise—994
Fourier analysis of the x-ray scattering from soap solutions, G. W. Brady—1547
Ionic transport in liquid silicates, J. O'M. Bockris, J. A. Kitchener, and A. E. Davies—255(L)
Light scattering studies on coiling polyelectrolytes, F. T. Wall, J. W. Drenan, M. R. Hatfield, and C. L. Painter—585
Nuclear spin relaxation studies in dilute sodium-liquid ammonia solutions, R. Newman and R. A. Ogg, Jr.—214
On the size, shape, and hydration of southern bean mosaic virus and tobacco necrosis virus in solution, B. R. Leonard, Jr., J. W. Anderegg, Paul Kaesberg, S. Shulman, and W. W. Beeman—793(L)
On the theory of the high polymer solution, Hiroshi Ichimura—516(L)
Solvent induced frequency shifts for cata-condensed aromatics, Norman D. Coggeshall and Abbott Pozefsky—980(L)

Statistical mechanical theory of solutions. I., John G. Kirkwood and Frank P. Buff—774
Studies on tellurium-selenium alloys, E. Grison—1109
Studies on Zeeman effects from solutions of europium and neodymium salts, George J. Rotariu—977(L)
Theory of high polymer solutions (The dumbbell model), A. Isihara—397
Transformation of water from covalent to electrovalent combination in formic acid-water mixtures, Tai-Yuan Yang—647
Ultrasonic propagation in binary liquid systems near their critical solution temperature, A. G. Chynoweth and W. G. Schneider—1566
Variation of lattice frequencies with concentration in molecular mix-crystals, Ram Ratan Aggarwal and B. D. Saksena—1480

Spectra (see **Absorption Spectra, Fluorescence, Raman Spectra**)

Statistical Mechanics (see **Mechanics, Statistical**)

Steric Strain

Surface Phenomena

Absolute rate of the chemisorption of hydrogen on reduced copper, Takao Kwan and Masaharu Kujirai—798(L)
Adsorption of carbon dioxide on a nickel single crystal using a radioactive tracer, A. D. Crowell and H. E. Farnsworth—1206(L)
Anomalous first layer of adsorbed helium and a modified B.E.T. theory, J. G. Aston and S. V. R. Mastrangelo—1067(L)
Application of the mass law to adsorption of divalent ions on hydrous ferric oxide, M. H. Kurbatov, G. B. Wood, and J. D. Kurbatov—258(L)
Calculation of diffusion coefficients from sorption data, Stephen Prager—537
Contact angles and surface tensions in liquid/solid systems, G. A. H. Elton—1066(L)
Decomposition of excited ethylene, B. deB. Darwent—258(L)
Exchange between N_2^{30} and N_2^{28} over iron catalysts, J. T. Kummer and P. H. Emmett—289
Heat capacity of multimolecular layers of absorbed argon, J. A. Morrison and L. E. Drain—1063(L)
Isotopic exchange rates as criteria of surface heterogeneity, R. P. Eischens—377(L)
Jones reductor: a model for the kinetics of chromatography, Kerro Knox and Henry C. Thomas—224
Kinetics of gas adsorption as a method of area determination, George Jura and Richard E. Powell—251(L)
Liquid-vapor transition region and physical adsorption according to van der Waals' equation, Terrell L. Hill—261(L)
Mobile multilayer adsorption of a Bose-Einstein gas: helium, William Band—435
Note on surface tension and the theory of holes, Robert L. Choate and Louis H. Lund—1062(L)
On Gibbs' theory of surface tension, Terrell L. Hill—1203(L)
On the stability of gas bubbles in liquid-gas solutions, Erratum, P. S. Epstein and M. S. Plesset—256(L)
Oxidation kinetics of nickel and cobalt, Walter J. Moore and James K. Lee—255(L)
Radiotracer study of cationic surface-active agents by measurement of gegenion adsorption, Charles M. Judson, Ann A. Argyle, J. K. Dixon, and D. J. Salley—378(L); Errata—661(L)
Reply to Fu regarding the new method of estimating the surface area of powder, Masataka Mizushima—260(L)
Role of oxide composition in oxidation of nickel and cobalt, Robert L. Tichenor—796(L)
Role of surface tension in multilayer gas adsorption, W. G. McMillan and E. Teller—25
Spherical interface. I. Thermodynamics, Frank P. Buff—1591
Structural model of low pressure "physical" adsorption, Melvin A. Cook, Douglas H. Pack, and Alex G. Oblad—367
Surface energy of small nuclei, G. C. Benson and R. Shuttleworth—130(L)
Surface tension of small droplets as a function of size from critical supersaturation data, G. M. Pound and V. K. LaMer—506(L)
Thermodynamic data and some notes on the nature of adsorbed helium, S. V. R. Mastrangelo and J. G. Aston—1370
Thermomagnetic investigations of promoted and unpromoted iron oxide and iron catalysts, Louis R. Maxwell, J. Samuel Smart, and Stephen Brunauer—303
Wall reactions and diffusion in static and flow systems, Robert Gomer—284

Thermal Diffusion

Effect of pressure on thermal diffusion in gases, E. W. Becker—131(L)
On the energetic treatment of non-isothermal processes. The principle of thermal interaction, Hans Holtan, Jr.—519
Thermal diffusion in hydrogen-water vapor mixtures, E. Whalley—509(L)
Transport phenomena in dense media. II. Thermal diffusion in compressed gases, W. L. Robb and H. G. Drickamer—818
Transport properties of gases with a square-well molecular interaction potential, Eugene M. Holleran and Hugh M. Hulburt—232

Thermodynamic Properties

Application of the mass law to adsorption of divalent ions on hydrous ferric oxide, M. H. Kurbatov, G. B. Wood, and J. D. Kurbatov—258(L)
Asymptotic expansion of the partition function of the asymmetric top, Kenneth F. Stripp and John G. Kirkwood—1131
Calculated thermochemical properties for hydrazine-hydrogen peroxide reaction at high pressures, W. J. Barr and E. Justin Wilson, Jr.—470
Carbon-14 isotope effect in an inorganic equilibrium, D. R. Stransk and G. M. Harris—257(L)
Central force model for additive molecular properties, H. J. Bernstein—140(L)
Compressibilities of concentrated metal ammonia solutions, Robert H. Maybury and Lowell V. Coulter—1326(L)
Compressibility of gases at pressures up to 50 atmospheres. V. Carbon tetrafluoride in the temperature range 0°–400°C. VI. Sulfur hexafluoride in the temperature range 0°–250°C, K. E. MacCormack and W. G. Schneider—845
Compressibility of gaseous xenon. I. An equation of state for xenon and the weight of a liter of xenon, James A. Beattie, Roland J. Barriault, and James S. Brierley—1219
Compressibility of gaseous xenon. II. The virial coefficients and potential parameters of xenon, James A. Beattie, Roland J. Barriault, and James S. Brierley—1222
Conformal solution theory and dipole interaction, J. A. Barker—1430(L)
Coulomb energy of complex crystals, Edward Fisher—1284
Critical constants, boiling points, triple point constants, and vapor pressures of the six isotopic hydrogen molecules, based on a simple mass relationship, Abraham Solomon Friedman, David White, and Herrick L. Johnston—126
Critical constants of polar gases, J. S. Rowlinson—831

Thermodynamic Properties (continued)
Effect of pressure on the melting of several methyl siloxanes, P. W. Bridgman—203
Entropies of melting of metals, R. A. Oriani—93
Entropy of aqueous solutes, Richard E. Powell and Wendell M. Latimer—1139
Entropy of crystalline benzene calculated from molecular data, Isao Ichishima and San-ichiro Mizushima—388(L)
External oscillations and specific heat of calcite, L. Giulotto and A. Loinger—1316(L)
Force constant and calculated thermodynamic properties for SiF_4, Fred L. Voelz, Arnold G. Meister, and Forrest F. Cleveland—1084
Force constants, frequency assignments, and thermodynamic properties of ozone, Morton J. Klein—1068(L)
Formation of complexes in benzene-oxalyl chloride solutions, B. D. Saksena and R. E. Kagarise—994
Gas imperfection correction for the entropy of ethyl and methyl alcohol, Kazuo Ito—1313(L)
Heat capacity of multimolecular layers of absorbed argon, J. A. Morrison and L. E. Drain—1063(L)
Heats of combustion and formation of some organosilicon compounds, Toshio Tanaka, Ukiko Takahashi, Rokuro Okawara, and Takeo Watase—1330(L)
High temperature specific heat of AgBr, R. W. Christy and A. W. Lawson—517(L)
Intermolecular potentials. I. Carbon tetrafluoride and sulfur hexafluoride. II. Carbon dioxide, K. E. MacCormack and W. G. Schneider—849
Low temperature second virial coefficients for a 6-12 potential, Leo F. Epstein and Glenn M. Roe—1320(L)
Measurement of chemical equilibria by means of the critical flow orifice, Henry Wise and David Altman—515(L)
Metal-solution potentials of nickel in foreign ion solutions, D. MacGillavry, J. J. Singer, Jr., and J. H. Rosenbaum—1295
New calculation of the latent heat of sublimation of carbon and the first C−H dissociation energy in methylene from electron impact data, F. H. Field—793(L)
Note on the paper "On the latent heat of fusion and the hole theory" by N. R. Mukherjee, A. K. Mukherjee—1431(L)
Numerical integration as a labor-saving device in the compilation of thermodynamic properties of polyatomic molecules, Robert E. Pennington and Kenneth A. Kobe—510(L)
On the latent heat of fusion and the hole theory, erratum, N. R. Mukherjee—1216(L)
Phase diagram of the BaO-TiO_2 system, W. O. Statton—33
Prediction of isothermal compressibilities by light scattering, L. G. Blosser and H. G. Drickamer—1244
Rotation of *n*-butylic radical in crystalline state, Tsutomu Oda, Kenza Sakata, and Seiichi Konde—1314(L)
Spectroscopic evidence of the dimerization of NO in the gaseous state, L. D'Or, A. de Lattre, and P. Tarte—1064(L)
Stability of gaseous diatomic oxides, Leo Brewer and Donal F. Mastick—834
Statistical thermodynamics of rubber elasticity, Frederick T. Wall and Paul J. Flory—1435
Substituted ethanes. III. Raman and infrared spectra, assignments, force constants, and calculated thermodynamic properties for 1,1,1-trichloroethane, M. Zaki El-Sabban, Arnold G. Meister, and Forrest F. Cleveland—855
Substituted methanes. V. Infrared spectra and calculated thermodynamic properties for some trichloromethanes, John R. Madigan and Forrest F. Cleveland—119
Substituted methanes. VI. Force constants and calculated thermodynamic properties for some trifluoromethanes, Charlotte E. Decker, Arnold G. Meister, and Forrest F. Cleveland—784
Substituted methanes. VII. Vibrational spectra, force constants, and calculated thermodynamic properties for CH_3I and CD_3I, Paul F. Fenlon, Forrest F. Cleveland, and Arnold G. Meister—1561
Thermal analysis of the system $PbBr_2$−PbO, L. M. Knowles—1128
Thermodynamic data and some notes on the nature of adsorbed helium, S. V. R. Mastrangelo and J. G. Aston—1370
Thermodynamic investigation on ternary amalgams, Carl Wagner—626
Thermodynamic properties of gaseous titanium, Paul W. Gilles and Quentin de L. Wheatley—129(L)
Thermodynamics of the critical point, C. F. Curtiss, C. A. Boyd, and H. B. Palmer—801(L)
Thermodynamics of the critical point, W. G. Schneider and A. Chynoweth—1607(L)
Third virial coefficients of polar gases, J. S. Rowlinson—827
Vapor pressure and critical constants of neopentane, James A. Beattie, Donald F. Douslin, and Samuel W. Levine—948
Vapor pressure of mercury from 40°C to 240°C: (5 microns to 6 cm) measured by steaming method, T. M. Dauphinee—389(L)
Vapor pressure of zinc in the range 300°–360°, John E. Vance and Charles I. Whitman—744
Vapor pressures below 1 mm Hg of several aromatic compounds, E. R. Hopke and G. W. Sears—1345
Vibrational spectra of diborane and some of its isotopic derivatives, R. C. Lord and E. Nielsen—1

Thermodynamics
On the principle of thermal interaction, P. Mazur—1431(L)
Remark on the notion of the thermodynamic pressure, T. Nishiyama—1320(L)
Second-order transitions and critical points, P. J. Price—1281
Spherical interface. I. Thermodynamics, Frank P. Buff—1591
Thermodynamics of the critical point, C. F. Curtiss, C. A. Boyd, and H. B. Palmer—801(L)

Transport Phenomena
Concerning the temperature coefficient of the emf of reversible galvanic cells operated at variable concentration, James C. M. Li—1059
Contribution of thermal conductivity to the ultrasonic absorption coefficient in liquefied gases, Robert T. Beyer—788
Dielectric relaxation in glycerol, propylene glycol, and *n*-propanol, D. W. Davidson and R. H. Cole—1484
Effect of pressure on thermal diffusion in gases, E. W. Becker—131(L)
Energy transfer between complex molecules, Margaret M. Moodie and C. Reid—986(L)
Ionic transport in liquid silicates, J. O'M. Bockris, J. A. Kitchener, and A. E. Davies—255(L)
On the energetic treatment of non-isothermal processes. The principle of thermal interaction, Hans Holtan, Jr.—519
On the interpretation of relaxation time measurements in gas mixtures, Richard A. Walker—494
On the principle of thermal interaction, P. Mazur—1431(L)
Osmosis in a high frequency electric field, Z. László—800(L)
Some newer experimental results on the osmosis in alternating electric fields, Z. László—133(L)
Statistical mechanical theory of transport processes. V. Quantum hydrodynamics, J. H. Irving and Robert W. Zwanzig—1173

Thermal diffusion in hydrogen-water vapor mixtures, E. Whalley—509(L)
Thickness of shock fronts in argon and nitrogen and rotational heat capacity lags, E. F. Greene, G. R. Cowan, and D. F. Hornig—427
Transport phenomena in dense media. II. Thermal diffusion in compressed gases, W. L. Robb and H. G. Drickamer—818
Transport properties of gases with a square-well molecular interaction potential, Eugene M. Holleran and Hugh M. Hulburt—232

Ultrasonics
Contribution of thermal conductivity to the ultrasonic absorption coefficient in liquefied gases, Robert T. Beyer—788
Effect of ultrasonic radiation on the electrolytic separation of deuterium, Donald F. Mason, Royce E. Biddick, and Charles A. Boyd—1551
Elastic relaxation and structure of liquids. I. Ultrasonic absorption in some halogenated methylenes, ethanes, and ethylenes, Daniele Sette—1337
On the elastic relaxation in carbon disulfide: the temperature dependence of the ultrasonic absorption coefficient, Daniele Sette—1342
On the propagation of ultrasonic waves in acetic acid, E. Freedman—1318(L)
Reaction sites in a field of stationary ultrasonic waves, Olle Lindström—1613L)
Ultrasonic propagation in binary liquid systems near their critical solution temperature, A. G. Chynoweth and W. G. Schneider—1566

Valence (see **Mechanics, Quantum**)
Viscosity
Calculation of the molecular diameters from Sutherland's constant, M. el Nadi—503(L)
Concentration dependence of the viscosity of solutions of macromolecules, Jacob Riseman and Robert Ullman—578
On the thermal conductivity of liquids and polymers and its relation to the pressure coefficient of viscosity, A. Bondi—128(L)
On the viscosity of liquid hydrocarbon mixtures, Fausto W. Lima—137(L); Erratum—662(L)
Visco-elastic properties of solutions of rod-like macromolecules, John G. Kirkwood and Peter L. Auer—281
Viscosity of neopentane, M. K. Phibbs—1420

X-Ray Diffraction
Anomalous x-ray diffraction spectra in graphite, Joseph S. Lukesh—1203(L)
Crystal structure of chromium (II) chloride, L. L. Handy and N. W. Gregory—1314(L)
Crystal structure of $NaPt_3O_4$, Jürg Waser and Edwin D. McClanahan, Jr.—413
Fourier analysis of the x-ray scattering from soap solutions, G. W. Brady—1547
Molecular and crystal structure of nitric oxide dimer, William J. Dulmage, Edward A. Meyers, and William N. Lipscomb—1432(L)
On the structure of gas hydrates, M. v. Stackelberg and H. R. Müller—1319(L)
Small-angle x-ray scattering from argon, Walter Graham and Louis H. Lund—1380
Structure-optical studies. III. Smeared x-ray layer lines from periodide crystals, C. D. West—1432(L)